# **ED**

### Take the next step

### Visit EDCure.org to:

- Take the online ED quiz and get your customized treatment results
- Find an ED specialist in your area
- Register for free educational seminars to learn more about treatment options
- Hear how real people like you have found their ED cure
- Get common answers to common questions about ED, penile implants and insurance coverage



#### Visit www.dLife.com to:

- Connect with millions of diabetes patients and caregivers
- Find free tools and resources to help better self-manage your diabetes
- Discover free webinars on many diabetes related topics

#### Talk to someone who's been there.

Email us at MHPatientEducation@bsci.com or call 1-844-4ED-CURE and we'll connect you with a patient who found a successful treatment for his ED.

### References

1. Phé V, Rouprêt M. Erectile dysfunction and diabetes: A review of the current evidence-based medicine and a synthesis of the main available therapies. Diabetes Metab. 2012 Feb;38(1):1-13. 2. Malavige LS, Levy JC. Erectile dysfunction in diabetes mellitus. J Sex Med. 2009 May;6(5):1232-47. 3. The Risks and Complications of Uncontrolled Diabetes. WebMD Website: http://www.webmd.com/diabetes/riskscomplications-uncontrolled-diabetes. Accessed December 3, 2014. 4. Walsh TJ, Hotaling JM, Smith A, et al. Men with diabetes may require more aggressive treatment for erectile dysfunction. Int J Impot Res. 2014 May-Jun; 26(3):112-5. 5. Scott FB, Bradley WE, Timm GW. Management of erectile impotence: use of implantable inflatable prosthesis. Urology. 1973 Jul:2(1):80-2. 6. Data on file with Boston Scientific. 7. Montorsi F, Rigatti P, Carmignani G, et al. AMS three piece inflatable implants for erectile dysfunction: a long-term multi-institutional study in 200 consecutive patients. Eur Urol. 2000 Jan; 37(1):50-5. 8. Penile Implants-Erectile Dysfunction. Sex Health Matters Website: http://www.sexhealthmatters.org/erectiledysfunction/penile-implants-erectile-dysfunction/P7. Accessed December 3, 2014. 9. FDA Approval Letter, N970012-S065.

All trademarks are the property of their respective owners


# Scientific Scientific


Advancing science for life™

Boston Scientific Corporation 300 Boston Scientific Way, Marlborough, MA 01752-1234 www.bostonscientific.com

© 2018 Boston Scientific Corporation or its affiliates. All rights reserved.

MH-404215-AA DEC 2016





"I was 32, and the doctors told me all the things I could look forward to...problems with my eyes, heart, kidney, liver, circulation and eventually ED. Within the first year I started having problems with ED."

- Tom

ED affects 1 in 2 men with diabetes.1



This brochure is designed to help you learn more about the connection between erectile dysfunction (ED) and diabetes — and how you can take steps to find a solution to regain the confidence, control and wholeness you seek with an active, satisfying sex life.

"I was literally there, in my early 40s, thinking I'm just never going to have a conventional sex life again."

- Benno

The quotes featured throughout this brochure are from real men with diabetes, who have tried other treatment options for their ED and eventually received a penile implant. Their testimony is based on their own experience, and may not be typical for all patients.

### ED & diabetes

Over time, it's very common for people with diabetes to experience nerve damage due to high blood sugar levels. Diabetic nerve damage can lead to loss of sensation or feeling in the feet or hands. It can also cause problems with digestion, going to the bathroom or having sex.<sup>2,3</sup>

If you're a man with diabetes experiencing ED — the inability to get or maintain an erection that's firm enough or lasts long enough to have successful sexual intercourse — you're not alone.

Men with diabetes are 3 times more likely to experience ED than men without diabetes and it affects them 10–15 years earlier in life.<sup>2</sup>


"I wish my doctors had been more aggressive in asking about this particular complication of diabetes. I would not have waited so long to do something about it."

- Kerry

Men with diabetes are more than 2 times more likely to choose a penile implant to treat their ED than those without diabetes.<sup>4</sup>

# Taking the next step

Finding a satisfying treatment for ED can be a lifechanging event for many men (and their partners), who may have struggled for years with a condition that can impact their self-esteem and affect their most intimate relationships.



"Dealing with ED really puts a huge emotional burden on you."

- Tom

"With ED, you're just not quite measuring up from a masculine standpoint. It works on you in very subtle ways."

# Find your best ED cure

Fortunately, there are many ways to treat ED today. Oral medications are a common first step, but they don't work for everyone — especially those with diabetes: PDE5 inhibitors (the type of medications that include Viagra™, Cialis™ and Levitra™) are shown to be less effective in men with diabetes.² Men with diabetes and ED are more likely to be prescribed treatment beyond medications.⁴




# Know all your options

The important thing to know is that you are not alone — there is hope for nearly every man suffering from ED. Treatment options include oral medications, vacuum devices, suppositories, injections and penile implants. These treatments work differently for different people, and some may be more effective than others for you.

An AMS 700™ Penile Implant is a unique solution because it allows you to have intimacy wherever, whenever, and for as long as you want. It lets you be spontaneous again, and it is reliable with no medication side effects or ongoing cost.

Penile implants have been in clinical use for over 40 years<sup>5</sup> and nearly **500,000 patients** have been treated with a Boston Scientific penile implant.<sup>6</sup>



# Could an AMS 700<sup>™</sup> Penile Implant be right for you?

A penile implant is entirely contained within the body and is designed to be simple and easy to operate. It provides the ability to have an erection anytime you choose, and once activated, you can maintain an erection as long as you desire. It typically does not interfere with ejaculation or orgasm.<sup>7,8</sup>

The AMS 700 Implant with InhibiZone<sup>™</sup> is the only implant on the market clinically proven and supported by the FDA to reduce the risk of revision surgery due to infection <sup>9</sup>

**Caution:** US Federal law restricts this device to sale by or on the order of a physician.

Your doctor is your best source for information on the risks and benefits of the AMS 700™ with MS Pump™ Inflatable Penile Prosthesis. Talk to your doctor for a complete listing of risks, warnings and important safety information.

The AMS 700™ with MS Pump™ Inflatable Penile Prosthesis is intended for use in the treatment of male erectile dysfunction (impotence). Implanting a penile prosthesis will damage or destroy any remaining ability to have a natural erection, as well as make other treatment options impossible.

Men with diabetes, spinal cord injuries or skin infections may have an increased risk of infection. Implantation may result in penile shortening, curvature or scarring. Some AMS 700 devices contain an antibiotic (InhibiZone™ Antibiotic Surface Treatment). The device may not be suited for patients who are allergic to the antibiotics contained within the device (rifampin, minocycline or other tetracyclines) or have systemic lupus.

Potential risks may include: device malfunction/failure leading to additional surgery, device migration potentially leading to exposure through the tissue, wearing away/loss of tissue (device/tissue erosion) infection, unintended-inflation of the device and pain/soreness. MH-545411-AA

"What the penile implant does for a man is absolutely life-changing. It's been a wonderful experience for both of us. 40 years of marriage and we're having the best sex of our lives."