

ALTITUDE Bibliography

2011

1. Cao M, Hayes DL, Powell BD, Cha Y-M, Cesario DA, Seth M, Saxon LA. Atrial Pacing Frequency and Mortality in CRT Recipients: Results from the ALTITUDE Study Group. *J Am Coll Cardiol*. 2011;57(14_Suppl_S):E104.
2. Cesario DA, Cao M, Powell B, Cha Y-M, Asirvatham SJ, Day J, Wold N, Gilliam III FR, Saxon LA. The Association of Atrial Fibrillation, ICD and CRT-D Shocks and Mortality in Patients Participating in Remote Device Follow-Up [abstract PO1-44]. *Heart Rhythm*. 2011;8(5, Supplement 1):S103-S144.
3. Cesario DA, Powell B, Cao M, Saxon L, Day J, Wold N. Atrial Fibrillation and Outcomes in a Large Cohort of CRT Recipients: Results from the ALTITUDE Study. *J Am Coll Cardiol*. 2011;57(14_Suppl_S):E153.
4. Cha Y-M, Stein KM, Gilliam Iii FR, Powell B, Asirvatham SJ, Cesario DA, Cao M, Jones PW, Seth M, Saxon LA. Clustering Pattern of Non-Sustained Ventricular Arrhythmia Episodes in ICD Patients [abstract PO5-33]. *Heart Rhythm*. 2011;8(5, Supplement 1):S367.
5. Gilliam III FR, Hayes DL, Boehmer JP, Day J, Heidenreich PA, Seth M, Jones PW, Stein KM, Saxon LA. Real World Evaluation of Dual-Zone ICD and CRT-D Programming Compared to Single-Zone Programming: The ALTITUDE REDUCES Study. *Journal of Cardiovascular Electrophysiology*. 2011; In Press. doi:10.1111/j.1540-8167.2011.02086.x.
6. Hayes DL, Boehmer JP, Day J, Gilliam Iii FR, Heidenreich PA, Seth M, Jones PW, Saxon LA. Cardiac Resynchronization Therapy and the Relationship of Percent Biventricular Pacing to Symptoms and Survival. *Heart Rhythm*. In Press, Accepted Manuscript.
7. Powell BD, Cha Y-M, Asirvatham SJ, Cesario DA, Cao M, Jones PW, Seth M, Saxon LA, Gilliam FR. Implantable Cardioverter Defibrillator Electrogram Adjudication for Device Registries: Methodology and Observations from ALTITUDE. *Pacing and Clinical Electrophysiology*. 2011; In Press. doi:10.1111/j.1540-8159.2011.03093.x.
8. Powell B, Cha Y-M, Jones PW, Seth M, Cesario DA, Cao M, Frazier-Mills CG, Samii SM, Asirvatham SJ, Gilliam III FR, Saxon LA. Diagnostic Value of the ICD Atrial Lead in Accurate Discrimination of Supraventricular from Ventricular Arrhythmias [abstract AB26-5]. *Heart Rhythm*. 2011;8(5, Supplement 1):S59.

9. Powell B, Saxon LA, Boehmer J, Day J, Gilliam III FR, Jones PW, Rosseau M, Hayes DL. Survival After Shock Therapy In ICD And CRT-D Recipients According To Rhythm Shocked: The Altitude Study Group. Presented at: Heart Rhythm Society; May 4-7, 2011; San Francisco, CA.
10. Saxon LA, Gilliam III FR, Powell B, Seth M, Jones P, Hayes DL. Survival After Shock Therapy for VF in ICD and CRT-D Recipients Followed on a Remote Network [abstract PO4-11]. *Heart Rhythm*. 2011;8(5, Supplement 1):S288.

2010

1. Asirvatham SJ, Powell B, Cha Y-M, Cesario DA, Cao M, Perschbacher D, Jones PW, Gilliam III FR, Hayes DL, Saxon LA. Noise and Oversensing Related Inappropriate ICD Shocks Diagnosed with Remote Monitoring: The ALTITUDE EGM Study. *Europace*. 2010;12(Supplement 1):i57.
2. Cao M, Cesario DA, Gilliam III FR, Powell B, Cha Y-M, Asirvatham SJ, Saxon LA. Defibrillation Threshold Testing (DFT) in a Naturalistic Practice: Results of the ALTITUDE EGM Study. *Heart Rhythm*. 2010;7(5, Supplement 1):S7.
3. Cesario DA, Cao MK, Cha Y, Asirvatham SJ, Powell BD, Jones PW, Gilliam FR, Saxon LA. "Inappropriate" Shocks for Atrial Fibrillation/Flutter Detected by Remote Monitoring. *J Card Fail*. 2010;16(8, Supplement 1):S59-S59.
4. Cha Y-M, Hayes DL, Asirvatham SJ, Powell BD, Cesario DA, Cao M, Gilliam III FR, Jones P, Seth M, Saxon LA. Impact of Shock Energy and Ventricular Rhythm on the Success of First Shock Therapy - The ALTITUDE Study Group. *J Card Fail*. 2010;16(8, Supplement 1):S42-S42.
5. Day J, Hayes DL, Boehmer J, Gilliam III FR, Heidenreich PA, Jones PW, Seth M, Saxon LA. Real World ICD/CRT-D Patient Survival: Do Women Fare Better than Men? Gender Comparison in the ALTITUDE Study. *Heart Rhythm*. 2010;7(5, Supplement 1):S121.
6. Gilliam FR, Day JD, Hayes DL, Boehmer J, Heidenreich PA, Jones PW, Seth M, Saxon LA. Comparison of Tachycardia Detection Programming and Shock Incidence in the ALTITUDE Study. *Heart Rhythm*. 2010;7(5, Supplement 1):S178.
7. Gilliam III FR, Day JD, Hayes DL, Boehmer J, Heidenreich PA, Jones PW, Seth M, Saxon LA. Tachycardia Detection Programming and Shock Incidence in the ALTITUDE Study. *Europace*. 2010;12(Supplement 1):i57.

8. Heidenreich PA, Boehmer JP, Hayes DL, Gilliam FR, Day JD, Jones PW, Seth M, Saxon LA. Heart Failure Symptoms Identified With Home Monitoring Predict Subsequent Shock and Death. *J Card Fail.* 2010;16(8, Supplement 1):S85-S85.
9. Powell B, Cha Y-M, Asirvatham SJ, Cesario DA, Cao M, Perschbacher D, Jones PW, Gilliam III FR, Hayes DL, Saxon LA. Noise and Oversensing-Related Inappropriate ICD Shocks Diagnosed with Remote Monitoring: The ALTITUDE EGM Study. *Heart Rhythm.* 2010;7(5, Supplement 1):S6-S7.
10. Powell BD, Cha Y, Asirvatham SJ, Cao MK, Cesario DA, Jones PW, Seth M, Hayes DL, Saxon LA, Gilliam III FR. Implantable Cardioverter Defibrillator Electrogram Adjudication for Large National Device Registries: Methodology and Initial Observations from the ALTITUDE Study. *J Card Fail.* 2010;16(8, Supplement 1):S69-S69.
11. Saxon LA, Hayes DL, Gilliam FR, Heidenreich PA, Day J, Seth M, Meyer TE, Jones PW, Boehmer JP. Long-Term Outcome After ICD and CRT Implantation and Influence of Remote Device Follow-Up: The ALTITUDE Survival Study. *Circulation.* 2010;122(23):2359-2367.

2009

1. Boehmer JP, Day J, Gilliam FR, III, Heidenreich PA, Hayes DL, Seth M, Jones PW, Meyer TE, Saxon LA. Home Blood Pressure Monitoring Provides Important Prognostic Information in Patients Treated With a Cardiac Resynchronization Therapy Defibrillator. *Circulation.* 2009;120(18_MeetingAbstracts):S440.
2. Hayes DL, Boehmer J, Day J, Gilliam FR, Heidenreich PA, Milan S, Jones PW, Meyer TE, Saxon LA. Percent Biventricular Pacing Impacts Mortality in Heart Failure Patients. *Heart Rhythm.* 2009;6(5, Supplement 1):S134.
3. Hayes DL, Boehmer J, Day J, Gilliam FR, Heidenreich PA, Milan S, Jones PW, Meyer TE, Saxon LA. Right Ventricular Pacing Impacts Mortality in a Large Cohort of ICD Recipients. *Heart Rhythm.* 2009;6(5, Supplement 1):S75.
4. Saxon LA, Hayes DL, Day J, Gilliam III FR, Heidenreich PA, Seth M, Jones PW, Meyer TE, Boehmer J. Survival After ICD and CRT-D Implant in a Large Cohort of Heart Failure Patients Treated with Contemporary Drug and Device. *Heart Rhythm Society.* 2009.

2008

1. Boehmer JP, Saxon LA, Seth M, Jones P, Meyer TE. Durability of Weight and Blood Pressure Measurement Compliance Using an Internet-Based Patient Management System [J Card Fail abstract 339]. *J Card Fail.* 2008;14(6, Supplement):S104.

2. Saxon LA, Jones P, Seth M, Meyer TE. Atrial High Rate Episodes of Varying Durations Across Time in the Latitude Patient Cohort. *Heart Rhythm*. 2008;5(5, May Supplement):S142.
3. Saxon LA, Sharma A, Estes III M. Performance of the Medtronic Sprint Fidelis® Lead on the Latitude Patient Network. *Heart Rhythm*. 2008;5(5, May Supplement 1):S191.
4. Saxon LA, Sharma A, Jones P, Seth M, Meyer TE. Shock Incidence and Device Programming in the Latitude Patient Cohort. *Heart Rhythm*. 2008;5(5, May Supplement):S143.