Safari<sup>2™</sup>
Pre-Shaped Guidewire

Scientific

Advancing science for life™

Shaped and Sized for Safety


The Safari<sup>2</sup> Pre-Shaped Guidewire enables safe treatment of a broad range of patients with valvular disease


- Enhanced wire predictability with superior shape retention\*,†
- Streamlined device delivery through optimized rail support<sup>‡,§,\*\*</sup>
- Widest guidewire choice with three curve sizes


**AVAILABLE IN EXTRA SMALL SIZE** 



## **Curve Tip Configuration**








Guidewire Specifications					
Indications For Use	The Safari <sup>2</sup> Guidewire is intended to facilitate the introduction and placement of interventional devices within the chambers of the heart including those used within transcatheter aortic valve procedures.				
Outer Diameter	0.035" (0.889 mm)				
Length	275 cm				
Core Material	Stainless Steel				
Spring Coil Material	Stainless Steel				
Spring Coil Coating	LUBRIGREEN™ PTFE				
Configurations Distal Grind Curve Height Curve Width	Extra Small Curve         Small Curve         Large Curve           16 cm         16 cm         18 cm           3.2 cm         4.2 cm         5.0 cm           2.9 cm         4.2 cm         4.9 cm				
Package Contains	Guidewire, J-Straightener				
Use	Single use - not for reuse, reprocessing or resterilization				
Sterilization	Ethylene Oxide				
Shelf Life	3 years				

## **Smooth Tapered Core Wire Design**



††	10.0	cm	(Large)

Order Information						
Order Number (GTIN)	Ref/Catalog Number	Description	Outer Diameter (inches) (mm)		Length	Quantity per Box
08714729887614	H749 <b>39406XS</b> 1	Safari <sup>2</sup> Guidewire Extra Small Curve	0.035	0.889	275 cm	5 Pack
08714729887591	H749 <b>39406S</b> 1	Safari <sup>2</sup> Guidewire Small Curve	0.035	0.889	275 cm	5 Pack
08714729887577	H749 <b>39406L</b> 1	Safari <sup>2</sup> Guidewire Large Curve	0.035	0.889	275 cm	5 Pack
08714729887638	H749 <b>39407XS</b> 0	Safari <sup>2</sup> Guidewire Extra Small Curve	0.035	0.889	275 cm	1 Single
08714729887652	H749 <b>39407S</b> 0	Safari <sup>2</sup> Guidewire Small Curve	0.035	0.889	275 cm	1 Single
08714729887645	H749 <b>39407L</b> 0	Safari <sup>2</sup> Guidewire Large Curve	0.035	0.889	275 cm	1 Single

The C-code used for this product is C11769 Guidewires. C-codes are used for hospital outpatient device reporting for Medicare and some private payers. Boston Scientific is not responsible for the correct use of codes on submitted claims; this information does not constitute reimbursement or legal advice.



Bench testing performed by Boston Scientific. Bench test results may not necessarily be indicative of clinical performance. Data on file.

before testing periorimied by Distortion Scientific. General restreations have just elected and included to Criminal periorimiants.

\*\*Curve Retention test data with Safari\* Extra Small, Confida\* Brecker, Amplatz Extra Stiff\*, and Amplatz Super Stiff\* Guidewires (n = 1).

† Nosecone Tracking test data with Safari\* Extra Small, Confida Brecker, Amplatz Extra Stiff, and Amplatz Super Stiff Guidewires (n = 1).

† Nosecone Tracking test data with Safari\* Extra Small, Confida Brecker, Amplatz Extra Stiff, and Amplatz Super Stiff Guidewires (n = 1).

† Simulated Use Static Friction, Dynamic Friction, and Distal Curve Displacement test data with Lotus\*\* Valve System with Safari\* Large and Amplatz Super Stiff Guidewires (n = 4).

\*\* Simulated Use Friction, Dynamic Friction, and Distal Curve Displacment with Evolut™ R with Safari² Extra Small and Confida Brecker Guidewires (n = 3).

The Safari<sup>2</sup> Guidewire is manufactured by Lake Region Medical and distributed by Boston Scientific Corporation. Illustrations for information purposes – not indicative of actual size or clinical outcome All trademarks are the property of their respective owners.

## Safari<sup>2</sup> Preshaped TAVR TAVI Guidewire

Intended Use/Indications for Use: The Safari<sup>2</sup> Guidewire is intended to facilitate the introduction and placement of interventional devices within the chambers of the heart including those used within transcatheter aortic valve procedures.

Contraindications: This wire is not intended for use in the cerebrovasculature or coronary arteries.

Warnings: • The Safari<sup>2</sup> Guidewire should be used only by physicians trained in the introduction and placement of interventional devices including those used within transcatheter aortic valve procedures. • Carefully read all instructions prior to use. Observe all warnings and precautions. Failure to do so may result in complications. • Prior to use, inspect for damage. If damaged, DO NOT USE. • Monitor wire position throughout the procedure for proper placement of curve and distal tip. • Do not torque this guidewire. • Use extreme caution and careful judgment in patients for whom anticoagulation is not indicated. • Inserting the distal end of the guidewire through a Tuohy-Borst Adapter may result in damage to the tip of the guidewire. • If contrast agents are used, use extreme caution in patients who have had a severe reaction to contrast agents and who cannot be adequately premedicated. • When advancing or removing the guidewire, always use fluoroscopic guidance with radiographic equipment that provides high-resolution images. Never position the guidewire blindly, as this may result in misplacement, dissection or perforation. • Exercise care in handling of the guidewire during a procedure to reduce the possibility of accidental breakage, bending, kinking, or coil separation. Resulting guidewire fractures might require additional percutaneous intervention or surgery. • Never advance the guidewire against the resistance without first determining the reason for resistance under fluoroscopy. Excessive force against resistance may result in damage to the catheter or vessel/organ. Care should be taken when advancing a guidewire after device deployment. • The curve of the Safari<sup>2</sup> Guidewire should be constrained within a catheter during insertion into or withdrawal from the body or treatment site. • The Safari<sup>2</sup> Guidewire is manufactured with a double curve; attempts to modify may alter its performance. Alterations to curve may lead to complications including Perforation or Dissection, Mitral Valve Regurgitation, Pericardial Effusion, Cardiac Tamponade, Cardiac Arrest and Guidewire Replacement.

Adverse Events: • Access site complication • Additional Surgical Procedure • Air Embolism/Thromboembolism • Allergic Reaction • Amputation • Aorta Complications • Arteriovenous (AV) Fistula • Arrhythmia • Bleeding • Cardiac and/or Septal Perforation • Death • Emblosism • Hemoglobism • Hem or Injury • Stroke or other Neurologic event • Tamponade • Thrombus • Valve Complications • Vascular Complication • Vessel Occlusion • Vessel Perforation Dissection, Trauma, or Damage • Vessel Spasm • Wire Entrapment/Entanglement • Foreign Body/Wire Fracture.

Caution: Federal law (USA) restricts this device to sale by or on the order of a physician. Rx only. Prior to use, please see the complete "Directions for Use" for more information on Indications, Contraindications, Warnings, Precautions, Adverse Events, and Operator's Instructions



## Interventional Cardiology

300 Boston Scientific Way Marlborough, MA 01752-1234 www.bostonscientific.com

To order product or for more information contact customer service at 1.888.272.1001.

© 2016 Boston Scientific Corporation or its affiliates. All rights reserved.

SH-322920-AB-US AUG2016