



NEUROMODULATION RADIOFREQUENCY ABLATION

Product Catalogue



Table of Contents

Generators	3
Generator Accessories	4
Nitinol Reusable Electrodes	5
Stainless Steel Reusable Electrodes	6
Disposable Electrodes	7
Unified Disposable Electrode/Cannula	8
Disposable Injection Electrodes and Needles	10
Straight Sharp Cannulae	12
Curved Sharp Cannulae	14
Curved Blunt Cannulae	15
Sidekick™ 2 Cannulae	16
Halyard Curved Cannula	16
Disposable Ground Pads	17
Disposable Palisade™ Guideblocks and Kits	18
Stereotactic Disposable Electrodes	19
Specialty Electrodes and Cannulae Kits	20
Connection Cables and Adapters	21






Generators

PRODUCT NUMBER	DESCRIPTION
RFG-4-220V	<p>G4™ RF Generator: 220 V Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) G4 Generator (1) Medical Grade Power Cord (1) RFG-TP Generator Output Test Plug (1) CB112-TC Connection Cable for Reusable Electrodes
RFG-4-240V	<p>G4™ RF Generator: 240 V Kit</p> <p><i>Package Contents</i></p> <ul style="list-style-type: none"> (1) G4 Generator (1) Medical Grade Power Cord (1) RFG-TP Generator Output Test Plug (1) CB112-TC Connection Cable for Reusable Electrodes



Generator Accessories

PRODUCT NUMBER	DESCRIPTION
COR-10A-NA	<p>Medical Grade Power Cord for 120 V generator For use in: USA, Canada, Columbia, Costa Rica, Guatemala, Honduras, Mexico, Brazil, Colombia, Panama, Taiwan</p> 
COR-10A-IN	<p>Medical Grade Power Cord for 220 V generator For use in: Denmark, France, Israel, Korea, Argentina, Austria, Belgium, Brazil, Bulgaria, Germany, Hong Kong, Luxembourg, Netherlands, Russia, Spain, Turkey, Ukraine, Vietnam</p> <p>Medical Grade Power Cord for 240 V generator For use in: Iraq, Pakistan, Poland, Bahrain, India</p>
COR-10A-IT	<p>Medical Grade Power Cord for 220 V generator For use in: Italy</p>
COR-10A-UK	<p>Medical Grade Power Cord for 220 V generator For use in: UK, Dubai, Saudi Arabia, South Africa</p> <p>Medical Grade Power Cord for 240 V generator For use in: Singapore, UK, Ireland</p>
COR-10A-CH	<p>Medical Grade Power Cord for 220 V generator For use in: Switzerland</p>
COR-10A-SW	<p>Medical Grade Power Cord for 220 V generator For use in: Sweden</p>
FS-1	<p>Foot Switch</p> 
RFG-TP	<p>Generator Output Test Plug</p> 
SC-1	<p>Storage and Carrying Case for RFG-1A or RFG-1B</p>
SC-2	<p>Storage and Carrying Case for G4</p>







▶ Nitinol Reusable Electrode





PRODUCT NUMBER	DESCRIPTION
	Nitinol Reusable Electrode Please note: These electrodes require connection cable CB112-TC
TCN-10	Nitinol TC Electrode: 10 cm
TCN-10-3M	Nitinol TC Electrode: 10 cm, 3 m Cable
TCN-15	Nitinol TC Electrode: 15 cm
TCN-15-3M	Nitinol TC Electrode: 15 cm, 3 m Cable
TCN-20	Nitinol TC Electrode: 20 cm
TCN-20-3M	Nitinol TC Electrode: 20 cm, 3 m Cable
TCN-5	Nitinol TC Electrode: 5 cm
TCN-5-3M	Nitinol TC Electrode: 5 cm, 3 m Cable
TCN-CASE	Sterilizing Case for TCN Electrode






▶ Stainless Steel Reusable Electrodes

PRODUCT NUMBER	DESCRIPTION	
	Stainless Steel Reusable Electrode <i>Please note: These electrodes require connection cable CB112-TC</i>	
CSK-TC5	Stainless Steel Reusable Electrode – 5 cm	
CSK-TC10	Stainless Steel Reusable Electrode – 10 cm	
CSK-TC15	Stainless Steel Reusable Electrode – 15 cm	
CSK-TC20	Stainless Steel Reusable Electrode – 20 cm	
CB112-TC	Connection Cable for Reusable Electrodes	
	Stainless Steel Reusable Electrode with integrated 3 m Cable	
CSK-TC5-3M	Stainless Steel Reusable Electrode – 5 cm with integrated 3 m cable	
CSK-TC10-3M	Stainless Steel Reusable Electrode – 10 cm with integrated 3 m cable	
CSK-TC15-3M	Stainless Steel Reusable Electrode – 15 cm with integrated 3 m cable	
CSK-CASE	Sterilizing Case for CSK Electrode	




➤ Disposable Electrodes

PRODUCT NUMBER	DESCRIPTION	
	Disposable Electrode <i>Package Contents</i> (10) Disposable Electrodes <i>Please note: These electrodes require connection cable CB114-TC</i>	
TCD-5-P	Disposable Electrode – 5 cm	
TCD-10-P	Disposable Electrode – 10 cm	
TCD-15-P	Disposable Electrode – 15 cm	
TCD-20-P	Disposable Electrode – 20 cm	
	Disposable Electrode with integrated 3 m Cable <i>Package Contents</i> (10) Disposable Electrodes <i>Please note: These electrodes require adapter CB114-ADP or connection cable CB114-TC</i>	
TCD-5-3M-P	Disposable Electrode – 5 cm with integrated 3 m cable	
TCD-10-3M-P	Disposable Electrode – 10 cm with integrated 3 m cable	
TCD-15-3M-P	Disposable Electrode – 15 cm with integrated 3 m cable	
CB114-ADP	Adapter Plug for Disposable Electrodes	
CB114-TC	Connection Cable for Disposable Electrodes	

Unified Disposable Electrode/Cannula

PRODUCT NUMBER	DESCRIPTION	
	Unified Disposable Electrode/Cannula <i>Package Contents</i> (10) Unified Disposable Electrode/Cannula Please note: All CU/CUR electrodes require connection cable CB114-TC	
	Unified Disposable Electrode/Cannula Straight Tip	
CU-6522-P	Length: 6 cm – Tip: 5 mm – Gauge: 22 ga	
CU-61022-P	Length: 6 cm – Tip: 10 mm – Gauge: 22 ga	
CU-10522-P	Length: 10 cm – Tip: 5 mm – Gauge: 22 ga	
CU-101018-P	Length: 10 cm – Tip: 10 mm – Gauge: 18 ga	
CU-101022-P	Length: 10 cm – Tip: 10 mm – Gauge: 22 ga	
CU-15522-P	Length: 15 cm – Tip: 5 mm – Gauge: 22 ga	
	Unified Disposable Electrode/Cannula Straight Tip – Echo RF™	
CU-6520U-P	Length: 6 cm – Tip: 5 mm – Gauge: 20 ga	
CU-10520U-P	Length: 10 cm – Tip: 5 mm – Gauge: 20 ga	
CU-101020U-P	Length: 10 cm – Tip: 10 mm – Gauge: 20 ga	
CU-15520U-P	Length: 15 cm – Tip: 5 mm – Gauge: 20 ga	
CU-151020U-P	Length: 15 cm – Tip: 10 mm – Gauge: 20 ga	


➤ Unified Disposable Electrode/Cannula

PRODUCT NUMBER	DESCRIPTION	
	Unified Disposable Electrode/Cannula Curved Tip	
CUR-6518-P	Length: 6 cm – Tip: 5 mm – Gauge: 18 ga	
CUR-101018-P	Length: 10 cm – Tip: 10 mm – Gauge: 18 ga	
CUR-151018-P	Length: 15 cm – Tip: 10 mm – Gauge: 18 ga	
	Unified Disposable Electrode/Cannula Curved Tip – Echo RF™	
CUR-101020U-P	Length: 10 cm – Tip: 10 mm – Gauge: 20 ga	
CUR-151020U-P	Length: 15 cm – Tip: 10 mm – Gauge: 20 ga	
CB114-TC	Connection Cable for Disposable Electrodes	

➤ Disposable Injection Electrodes and Needles

PRODUCT NUMBER	DESCRIPTION	
	<p>Voltage Controlled Injection Electrode (Non-temperature Controlled)</p> <p><i>Package Contents</i> (10) Voltage Controlled Injection Electrodes</p> <p>Please note: These electrodes require connection cable CB116</p>	
CR-6-P	Length: 6 cm – Tip: 5 mm	
CR-6522U-P	Length: 6 cm – Tip: 5 mm – Echo RF	
CR-10-P	Length: 10 cm – Tip: 5 mm	
CR-10522U-P	Length: 10 cm – Tip: 5 mm – Echo RF	
CR-15-P	Length: 15 cm – Tip: 5 mm	
	<p>Stimulation Guided Nerve Block Needle</p> <p><i>Package Contents</i> (10) Stimulation Guided Nerve Block Needles</p> <p>Please note: These needles require connection cable CB116</p>	
CP-6-P	Length: 6 cm – Tip: 2 mm	
CP-10-P	Length: 10 cm – Tip: 2 mm	
	<p>Disposable Nerve Block Needle</p> <p><i>Package Contents</i> (10) Disposable Nerve Block Needles</p>	
CN-6-P	Length: 6 cm	
CN-10-P	Length: 10 cm	
CN-15-P	Length: 15 cm	

➤ Disposable Injection Electrodes and Needles

PRODUCT NUMBER	DESCRIPTION
	Disposable RF Injection Electrode Connection Cables
CB116	Single Injection Electrode Cable 

➤ Straight Sharp Cannulae

PRODUCT NUMBER	DESCRIPTION
	Straight Sharp Cannula <i>Package Contents</i> (10) Straight Sharp Cannulae
	
CC5222-P	Length: 5 cm – Tip: 2 mm – Gauge: 22 ga
CC5421-P	Length: 5 cm – Tip: 4 mm – Gauge: 21 ga
CC5422-P	Length: 5 cm – Tip: 4 mm – Gauge: 22 ga
CC51021-P	Length: 5 cm – Tip: 10 mm – Gauge: 21 ga
CC10222-P	Length: 10 cm – Tip: 2 mm – Gauge: 22 ga
CC10518-P	Length: 10 cm – Tip: 5 mm – Gauge: 18 ga
CC10520-P	Length: 10 cm – Tip: 5 mm – Gauge: 20 ga
CC10521-P	Length: 10 cm – Tip: 5 mm – Gauge: 21 ga
CC10522-P	Length: 10 cm – Tip: 5 mm – Gauge: 22 ga
CC101018-P	Length: 10 cm – Tip: 10 mm – Gauge: 18 ga
CC101020-P	Length: 10 cm – Tip: 10 mm – Gauge: 20 ga
CC101021-P	Length: 10 cm – Tip: 10 mm – Gauge: 21 ga
CC101022-P	Length: 10 cm – Tip: 10 mm – Gauge: 22 ga
CC15518-P	Length: 15 cm – Tip: 5 mm – Gauge: 18 ga
CC15520-P	Length: 15 cm – Tip: 5 mm – Gauge: 20 ga
CC151018-P	Length: 15 cm – Tip: 10 mm – Gauge: 18 ga
CC151020-P	Length: 15 cm – Tip: 10 mm – Gauge: 20 ga
CC151520-P	Length: 15 cm – Tip: 15 mm – Gauge: 20 ga
CC152020-P	Length: 15 cm – Tip: 20 mm – Gauge: 20 ga
CC20520-P	Length: 20 cm – Tip: 5 mm – Gauge: 20 ga
CC201020-P	Length: 20 cm – Tip: 10 mm – Gauge: 20 ga



➤ Straight Sharp Cannulae

PRODUCT NUMBER	DESCRIPTION
	Straight Sharp Cannula – Echo RF™ <i>Package Contents</i> (10) Straight Sharp Cannulae – Echo RF
CC5521U-P	Length: 5 cm – Tip: 5 mm – Gauge: 21 ga
CC51021U-P	Length: 5 cm – Tip: 10 mm – Gauge: 21 ga
CC10520U-P	Length: 10 cm – Tip: 5 mm – Gauge: 20 ga
CC10521U-P	Length: 10 cm – Tip: 5 mm – Gauge: 21 ga
CC101020U-P	Length: 10 cm – Tip: 10 mm – Gauge: 20 ga
CC101021U-P	Length: 10 cm – Tip: 10 mm – Gauge: 21 ga
CC15520U-P	Length: 15 cm – Tip: 5 mm – Gauge: 20 ga
CC151020U-P	Length: 15 cm – Tip: 10 mm – Gauge: 20 ga



➤ Straight Sharp Cannulae – Premium Siliconized

PRODUCT NUMBER	DESCRIPTION
	Straight Sharp Cannula – Premium Siliconized <i>Package Contents</i> (10) Straight Sharp Cannulae
CC5422Z-P	Length: 5 cm – Tip: 4 mm – Gauge: 22 ga – Premium Siliconized
CC10522Z-P	Length: 10 cm – Tip: 5 mm – Gauge: 22 ga – Premium Siliconized
CC101020Z-P	Length: 10 cm – Tip: 10 mm – Gauge: 20 ga – Premium Siliconized
CC151020Z-P	Length: 15 cm – Tip: 10 mm – Gauge: 20 ga – Premium Siliconized
CC101022Z-P	Length: 10 cm – Tip: 10 mm – Gauge: 22 ga – Premium Siliconized



➤ Curved Sharp Cannulae

PRODUCT NUMBER	DESCRIPTION
	Curved Sharp Cannula <i>Package Contents</i> (10) Curved Sharp Cannulae
RFK-C5422S-P	Length: 5 cm – Tip: 4 mm – Gauge: 22 ga
RFK-C5616S-P	Length: 5 cm – Tip: 6 mm – Gauge: 16 ga
RFK-C51016S-P	Length: 5 cm – Tip: 10 mm – Gauge: 16 ga
RFK-C10518S-P	Length: 10 cm – Tip: 5 mm – Gauge: 18 ga
RFK-C10520S-P	Length: 10 cm – Tip: 5 mm – Gauge: 20 ga
RFK-C10522S-P	Length: 10 cm – Tip: 5 mm – Gauge: 22 ga
RFK-C10616S-P	Length: 10 cm – Tip: 6 mm – Gauge: 16 ga
RFK-C101016S-P	Length: 10 cm – Tip: 10 mm – Gauge: 16 ga
RFK-C101018S-P	Length: 10 cm – Tip: 10 mm – Gauge: 18 ga
RFK-C101020S-P	Length: 10 cm – Tip: 10 mm – Gauge: 20 ga
RFK-C15518S-P	Length: 15 cm – Tip: 5 mm – Gauge: 18 ga
RFK-C15520S-P	Length: 15 cm – Tip: 5 mm – Gauge: 20 ga
RFK-C15616S-P	Length: 15 cm – Tip: 6 mm – Gauge: 16 ga
RFK-C151016S-P	Length: 15 cm – Tip: 10 mm – Gauge: 16 ga
RFK-C151018S-P	Length: 15 cm – Tip: 10 mm – Gauge: 18 ga
RFK-C151020S-P	Length: 15 cm – Tip: 10 mm – Gauge: 20 ga
RFK-C151520S-P	Length: 15 cm – Tip: 15 mm – Gauge: 20 ga
RFK-C20520S-P	Length: 20 cm – Tip: 5 mm – Gauge: 20 ga



➤ Curved Sharp Cannulae – Premium Siliconized

PRODUCT NUMBER	DESCRIPTION
	Curved Sharp Cannula Premium Siliconized <i>Package Contents</i> (10) Curved Blunt Cannulae
RFK-C10522SZ-P	Length: 10 cm – Tip: 5 mm – Gauge: 22ga – Premium Siliconized
RFK-C101016VZ-P	Length: 10 cm – Tip: 10 mm – Gauge: 16ga – Premium Siliconized
RFK-C101018VZ-P	Length: 10 cm – Tip: 10 mm – Gauge: 18ga – Premium Siliconized
RFK-C101020VZ-P	Length: 10 cm – Tip: 10 mm – Gauge: 20ga – Premium Siliconized
RFK-C151018VZ-P	Length: 15 cm – Tip: 10 mm – Gauge: 18ga – Premium Siliconized
RFK-C151020VZ-P	Length: 15 cm – Tip: 10 mm – Gauge: 20ga – Premium Siliconized

➤ Curved Blunt Cannulae

PRODUCT NUMBER	DESCRIPTION
	Curved Blunt Cannula <i>Package Contents</i> (10) Curved Blunt Cannulae
RFK-C10520B-P	Length: 10 cm – Tip: 5 mm – Gauge: 20 ga
RFK-C101020B-P	Length: 10 cm – Tip: 10 mm – Gauge: 20 ga
RFK-C15520B-P	Length: 15 cm – Tip: 5 mm – Gauge: 20 ga
RFK-C151020B-P	Length: 15 cm – Tip: 10 mm – Gauge: 20 ga



➤ Sidekick™ 2 Cannulae

PRODUCT NUMBER	DESCRIPTION
	Sidekick 2 Cannula <i>Package Contents</i> (10) Sidekick 2 Cannulae
RFK-C101018S-ZK2-P	Length: 10 cm – Tip: 10 mm – Gauge: 18ga
RFK-C101020S-ZK2-P	Length: 10 cm – Tip: 10 mm – Gauge: 20ga
RFK-C151018S-ZK2-P	Length: 15 cm – Tip: 10 mm – Gauge: 18ga
RFK-C151020S-ZK2-P	Length: 15 cm – Tip: 10 mm – Gauge: 20ga






➤ Halyard Curved Cannulae

PRODUCT NUMBER	DESCRIPTION
	Halyard Curved Cannula <i>Package Contents</i> (10) Halyard Curved Cannulae Please note: These cannulae are designed to work with Halyard Curved electrodes only
RFK21-54-5CS-P	Length: 54 mm – Tip: 5 mm – Gauge: 21 ga
RFK18-100-10CS-P	Length: 100 mm – Tip: 10 mm – Gauge: 18 ga
RFK20-100-10CS-P	Length: 100 mm – Tip: 10 mm – Gauge: 20 ga
RFK20-145-10CS-P	Length: 145 mm – Tip: 10 mm – Gauge: 20 ga






➤ Disposable Ground Pads

PRODUCT NUMBER	DESCRIPTION	
DGP-PM2-5	Disposable Ground pad w/cord <i>Package Contents</i> (5) Ground Pads	
DGP-PM2-25	Disposable Ground pad w/cord <i>Package Contents</i> (25) Ground Pads	
DGP-PMC2-5	Disposable Ground pad cordless <i>Package Contents</i> (5) Ground Pads	
DGP-PMC2-25	Disposable Ground pad cordless <i>Package Contents</i> (25) Ground Pads	
CB105	Connection Cable for Cordless Ground Pads	





➤ Disposable Palisade™ Guideblocks and Kits

PRODUCT NUMBER	DESCRIPTION
	Disposable Palisade Guideblock <i>Package Contents</i> (10) Disposable Palisade Guideblocks
	
PG-1018-P	Disposable Palisade Guideblock for 18 ga Cannulae
PG-1020-P	Disposable Palisade Guideblock for 20 ga Cannulae
	Disposable Palisade Guideblock Kit <i>Package Contents</i> (6) Straight Sharp Cannulae (4) TCD-10 Disposable Electrodes
	
	These electrodes require connection cable CB114-TC Disposable Palisade Guideblock to be ordered separately
PALISADE-18	Included Cannulae: CC101018 - Length: 10 cm – Tip: 10 mm – Gauge: 18 ga
PALISADE-20	Included Cannulae: CC101020 - Length: 10 cm – Tip: 10 mm – Gauge: 20 ga
CB114-TC	Connection Cable for Disposable Electrodes
	









► Stereotactic Disposable Electrodes

UPN NUMBER	DESCRIPTION
	<p>Stereotactic Disposable Electrodes</p> <p><i>Package Contents</i> Stereotactic Disposable Electrode</p>  <p>Please note: These electrodes require connection cable CB114-TC</p>
TC-11-2-250-D	Tip Diameter: 1.1mm – Tip Length: 2mm – Shaft Length: 250mm
TC-11-4-250-D	Tip Diameter: 1.1mm – Tip Length: 4mm – Shaft Length: 250mm
TC-16-2-250-D	Tip Diameter: 1.6mm – Tip Length: 2mm – Shaft Length: 250mm
TC-16-4-250-D	Tip Diameter: 1.6mm – Tip Length: 4mm – Shaft Length: 250mm
TC-16-10-250-D	Tip Diameter: 1.6mm – Tip Length: 10mm – Shaft Length: 250mm
	<p>Disposable Depth Stops</p> 
DS-11-D-P	Disposable Depth Stops for 1.1mm Electrodes [10]
DS-16-D-P	Disposable Depth Stops for 1.6mm Electrodes [10]
CB114-TC	<p>Connection Cable for Disposable Electrodes</p> 

➤ Specialty Electrodes and Cannulae Kits






PRODUCT NUMBER	DESCRIPTION
FLEX-K151320-5P	<p>Flextrode™ Introducer Kit</p> <p><i>Package Contents</i> (5) Flextrode Disposable Electrodes Tip: 13 mm – Gauge: 20 ga (5) Flextrode Cannulae Tip: 15 cm – Gauge: 17 ga</p>  <p>Please note: The Flextrode Introducer Kit requires connection cable CB114-TC</p>
	<p>LCED Disposable Cordotomy Kit</p> <p><i>Package Contents</i> LCED-TC Electrode BD Spinal Needle</p>  <p>Please note: The Cordotomy Kit requires connection cable CB114-TC</p>
LCED	Disposable Cordotomy Electrode Kit
LCED-P	Disposable Cordotomy Electrode Kits [10]
	<p>RCE Pulsed RF Electrode</p> <p><i>Package Contents</i> (10) RCE Disposable Electrodes Length: 40 cm Length: 66 cm</p>  <p>Please note: The Pulsed Electrode Kit requires connection cable CB114-TC</p>
RCE-E401519-P	(10) RCE 40 cm Electrodes
RCE-E661519-P	(10) RCE 66 cm Electrodes
RCE-C916S-P	(10) RCE Introducer Cannulae
CB114-TC	<p>Connection Cable for Disposable Electrodes</p>  <p>Please note: The Bipolar Disc Kit requires connection cable CB114-TC</p>

➤ Connection Cables and Adapters

PRODUCT NUMBER	DESCRIPTION	
	Connection Cables and Adapters for Boston Scientific Generators	
CB112-TC	Connection Cable for Reusable Electrodes	
CB114-TC	Connection Cable for Disposable Electrodes	
CB114-ADP	Adapter Plug for Disposable Electrodes	
CB105	Connection Cable for Cordless Ground Pads	
CB116	Single Injection Electrode Cable	
CB103-R	Alligator Clip Connection Cable	
CB113	RFG-1A/1B Bipolar Adapter Cable for Ground Pad Jack (Reusable Electrodes)	
CB135-TC	Neurotherm Reusable Electrode to Generator Cable	



➤ Connection Cables and Adapters

PRODUCT NUMBER	DESCRIPTION	
	<p>Connection Cables and Adapters for Major Manufacturers Generators</p> <p>Please note: Some adapters may require an additional connection cable for use with some generators</p>	
C125-TC	Adapter for Stryker Generators	
C124-TC	Adapter Cable for Halyard Four-Output Generators (Reusable Electrodes)	
C115-TC	Adapter Cable for Neurotherm Generators (Reusable Electrodes)	
C123-TC	Adapter Cable for Neurotherm Generators (Disposable Electrodes)	
C105	Ground Pad Adapter Cable for Halyard/Radionics Generators (DGP-PMC)	



Certain Terms and Conditions

WARRANTY

- Radiofrequency Generators – Limited warranty for a period of 1 year from the date of purchase.
- Please see Limited Warranty Manual (91006760-01) for more detailed information.

RADIOFREQUENCY ABLATION CUSTOMER SERVICE

Please contact your local or direct customer service team by email or phone for more information.

TERMS

Terms are Net 30 Days. All shipments are F.O.B. from our distribution centers. Prices are subject to change without notice.

RETURNED GOODS

Permission to return merchandise is required for all returns and may be withheld at the sole discretion of Boston Scientific Neuromodulation. This authorization to return goods must be requested by calling or writing to your local/direct Boston Scientific Customer Service Team.

MERCHANDISE THAT WILL NOT BE ACCEPTED FOR RETURN:

- Expired product
- Merchandise in unsaleable condition (opened, damaged, tampered, etc.)
- Merchandise not listed in this Catalog, Price List, or any Supplement
- Merchandise sterilized or used by the customer
- Merchandise that is not packaged properly for shipping when returned
- Incomplete kits or boxes (unless defective)
- Unauthorized returns

SPECIFICATION CHANGES

As we are continually introducing products and improving our existing products, this Catalog does not purport to be complete, and the equipment supplied may not agree in all details with the description and specifications shown in the catalog. All product offerings, prices, and specifications are subject to change without notice.

NOTICE

Indications, warnings, contraindications, and instructions for use, as well as product warranty information, can be found in the product labeling supplied with each device. **EXCEPT AS SET FORTH IN THE PRODUCT LABELING SUPPLIED WITH THE DEVICE, BOSTON SCIENTIFIC NEUROMODULATION MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE DEVICE.**

WARNING RE: SINGLE-USE DEVICES

Products marked as “single-use” are for single use only. Do not reuse, reprocess, or resterilize single-use products. Reuse, reprocessing, or resterilization may compromise the structural integrity of the device and/or lead to device failure, which in turn may result in patient injury, illness, or death. Reuse, reprocessing, or resterilization may also create a risk of contamination of the device and/or cause patient infection or cross-infection, including, but not limited to, the transmission of infectious disease(s) from one patient to another. Contamination of the device may lead to injury, illness, or death of the patient. Boston Scientific Neuromodulation assumes no liability with respect to instruments reused, reprocessed, or resterilized, and makes no warranties, express or implied, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose, with respect to any such instrument.



CAUTION: The law restricts these devices to sale by or on the order of a physician. Indications, contraindications, warnings and instructions for use can be found in the product labelling supplied with each device. Products shown for INFORMATION purposes only and may not be approved or for sale in certain countries. This material not intended for use in France.

Information contained herein is for distribution outside the U.S. only. Illustrations for information purposes – not indicative of actual size or clinical outcome.

NM-1017002-AB Printed in Germany by medicalvision.

**Boston
Scientific**
Advancing science for life™

www.bostonscientific.eu

© 2023 Boston Scientific Corporation
or its affiliates. All rights reserved.