EXCHANGELESS\*


solution for access-to-delivery of left heart ablation devices



\*VersaCross™ RF Wire can be used, without exchanges, as a guidewire, as a transseptal puncture device, or as an exchange rail for delivering therapy sheaths.

## SINGLE SOLUTION NO EXCHANGES

Deliver left heart ablation devices with ease



VersaCross™ RF Transseptal Solution

All trademarks are property of their respective owners. Patents Pending and/or issued. CAUTION: The law restricts this device to sale by or on the order of a physician. Rx only. Indications, Contraindications, Warnings, and Instructions For Use can be found in the product labelling supplied with each device or at www.baylismedical.com.

Products shown for INFORMATION purposes only and may not be approved or for sale in certain countries. This material not intended for use in France.

Boston Scientific is a Global Company. Please note that model numbers, indications, contraindications, contraindications, contraindications, contraindications, warnings and specifications may differ depending on geographic region. Not all information displayed in this brochure may be licensed in accordance with Canadian law. Please contact your Boston Scientific representative for local labeling, product specifications and licensed model numbers.

# Scientific Scientific

needle

Advancing science for life™

Baylis Medical Company Inc. 5959 Trans-Canada Highway Montreal, QC Canada H4T 1A1

www.baylismedical.com info@baylismedical.com

General Inquiries (514) 488-9801

© 2023 Boston Scientific Corporation or its affiliates. All rights reserved.

EP-1591407-AA

### Brief Summary | VersaCross™ RF Wire

CAUTION: Federal law (USA) restricts this device to sale by or on the order of a physician. Rx only. Prior to use, please see the complete "Instructions for Use" for more information on Indications, Contraindications, Warnings, Precautions, Adverse Events, and Operator's Instructions.

INDICATIONS FOR USE: The VersaCross™ RF Wire is indicated for creation of an atrial septal defect in the heart.

CONTRAINDICATIONS: The VersaCross M RF Wire is not recommended for use with any conditions that do not require the creation of an atrial septal defect. The Connector Cable is not recommended for use with any other Baylis RF Generator or any other device.

WARNINGS: • Laboratory staff and patients can undergo significant x-ray exposure during RF puncture procedures due to the continuous usage of fluoroscopic imaging. This exposure can result in acute radiation injury as well as increased isk for somatic and genetic effects. Therefore, adequate measures must be taken to minimize this exposure. • The VersaCross™ RF Wire and Connector Cable are intended for single patient use only. Do not attempt to sterilize and reuse either devices. Reuse can cause patient injury and/or the communication of infectious disease(s) from one patient to another. Reuse may result in patient complications. • The VersaCross™ RF Wire must be used with the Connector Cable provided. Attempts to use it with other connector cables can result in electrocution of the patient and/or operator. • Do not use the VersaCross™ RF Wire with electrocautery or electrosuper generators, connector cables or accessories as attempted use can result in patient and/or operator injury. • The Connector Cable must only be used with the RFP-100A Baylis RF Generator and the included VersaCross™ RF Wire. Attempts to use it with other RF Generators and devices can result in electrocution of the patient and/or operator. • The VersaCross™ RF Wire and the use with which the RFP-100A Baylis RF Generators and the included VersaCross™ RF Wire has only be to used with 0.055\* compatible transsptal sheath and/or dilator devices. Use of incompatible accessory devices may damage the integrity of the VersaCross™ RF Wire has only been unidiated for transptal puncture use through VersaCross™ RF Wire to such versaCross™ RF Wire has only been unidiated for transptal puncture use through VersaCross™ RF Wire to such versaCross™ RF Wire has only been unidiated for transptal puncture use through VersaCross™ RF Wire has only been unidiated for transptal puncture use through VersaCross™ RF Wire has only been unidiated for transptal applications which have been demonstrated to provide the required support for optimal function.

• The VersaC

PRECAUTIONS: • In order to prevent the risk of ignition, ensure that flammable materials are not present in the room during RF power application. • Careful manipulation of the VersaCross\* RF Wire must be performed to avoid vessel trauma. If resistance is encountered, DO NOT use excessive force to advance or withdraw the VersaCross\* RF Wire or ancillary sheath and/or dilator assembly. Excessive force may lead to bending or kinking of the device limiting advancement and retraction of sheath and/or dilator device. • The Baylis RF Generator is capable of delivering significant electrical power. Patient or operator injury can result from improper handling of the VersaCross\* RF Wire and/or DIP electrode, particularly when operating the device. • During power delivery, the patient should not be allowed to come in contact with ground metal surfaces. • If using electroantonical maniping guidance, it is recommended to use it along with alternative imaging modality in the event there is loss of visibility of the device.

ADVERSE EVENTS: Adverse events that may occur while creating an atrial septal defect include: \*Tamponade \*Sepsis/Infection \*
Thromboemboile rejoiseds \*Vesce) epforation \*A brital Fibrillation \*A Mycoardial Infection \*Veset Sepsam \* Sustained arrhythmias
\*Atrial Flutter \*Hemorrhage \*Vascular thrombosis \*Perforation of the myocardium \*Hematoma \*Allergic reaction to contrast
medium \*Ventricular Tachycardia \*Pain and Tendemess \*Arretioneous ristula \*Pericardial effusion \* Tachycardia \*Vascular
Trauma \*Additional Surgical Procedure \* Wire entrapment/ entrapilement \* Foreign body/wire fracture

ED 1E04711 AA

## Brief Summary | VersaCross™ Transseptal Dilator

CAUTION: Federal law (USA) restricts this device to sale by or on the order of a physician. Rx only. Prior to use, please see the complete "Instructions for Use" for more information on Indications, Contraindications, Warnings, Precautions, Adverse Events, and Operator's Instructions.

INDICATIONS FOR USE: The VersaCross<sup>™</sup> Transseptal Dilator is indicated for introducing various cardiovascular catheters to the heart, including the left side of the heart through the interatrial sectum.

CONTRAINDICATIONS: There are no known contraindications for this device.

WARNINGS: • Laboratory staff and patients can undergo significant x-ray exposure during interventional procedures due to the continuous usage of fluoroscopic imaging. This exposure can result in acute radiation injury as well as increased risk for somatic and genetic effects. Therefore, adequate measures must be taken to minimize this exposure. • The Versacross\* Steerable Sheath kit is intended for single patient use only. Do not attempt to sterilize and reuse the Versacross\* Steerable Sheath kit Reuse can cause the patient injury and/or the communication of infectious (slease(s) from one patient to another Failure to flow this instruction may result in patient complications \* Maintain continuous hemodynamic monitoring throughout procedure • Provide continuous hepaninized saline infinision while the introductor remains in users.

PRECAUTIONS: • Careful manipulation must be performed to avoid cardiac damage, or tamponade. Sheath, dilator and guidewire advancement should be done under fluoroscopic guidance. If resistance is encountered, DO NOT use excessive force to advance or withdraw the device.

ADVERSE EVENTS: Adverse events that may occur while using the VersaCross." Sheath include - Infection - Air embolus - Local never damage • Vasorogal reaction • Dissection • Vessel spasm • AV fistula formation • Atrail septal defect • Pseudoaneurym • Anric puncture • Arrhythmias • Perforation and/or tamponade • Hematoma • Hemorrhage • Catheter entrapment • Thromboembolic events • Stroke • Valve damage • Myocardial infarction • Pacemaker/defibrillator lead displacement • Pulmonary edema • Coronary artery spasm and/or damage • Vessel tamuma • Perioratial/pleural efficials.

-1506213-AA

### Brief Summary | VersaCross™ Steerable Sheath

CAUTION: Federal law (USA) restricts this device to sale by or on the order of a physician. Rx only. Prior to use, please see the complete "Instructions for Use" for more information on Indications, Contraindications, Warnings, Precautions, Adverse Events, and Operator's Instructions.

INDICATIONS FOR USE: The VersaCross<sup>IM</sup> Steerable Sheath kit is indicated for introducing various cardiovascular catheters to the heart, including the left side of the heart through the interatrial septum.

CONTRAINDICATIONS: There are no known contraindications for this device

WARNINGS. • Laboratory staff and patients can undergo significant x-ray exposure during interventional procedures due to the continuous usage of fluoroscopic imaging. This exposure can result in acute radiation injury as well as increased risk for somatic and genetic effects. Therefore, adequate measures must be taken to minimize this exposure. The use of echocardiography is recommended.
• The VersaCross™ Steerable Sheath kit is intended for single patient use only. Do not attempt to sterilize and reuse the VersaCross™ Steerable Sheath kit. Reuse can cause the patient lipiny and/or the communication of infectious disease(s) from one patient to another. O bon ot attempt direct percutaneous insertion of the sheath without the dilator as this may cause reuse injury. ◆ Maintain continuous hemodynamic monitoring throughout procedure • Provide continuous heparinized saline infusion while the introducer remains in vessel. • Do NOT attempt to insert or retact the guidewire through a metal cannula or a percutaneous needle, which may damage the guidewire and may cause patient injury.

PRECAUTIONS: • Careful manipulation must be performed to avoid cardiac damage, or tamponade. Sheath, dilator and guidewire advancement should be done under fluoroscopic guidance. If resistance is encountered, DO NO1 use excessive force to advance or withdraw the device. • Avoid deflexing distal end of sheath during delivery and removal, otherwise damage to vessels may occur. • The VersaCross™ Steerable Sheath kit is not compatible with transseptal needles such as the "NRG™ Transseptal Needle".

ADVERSE EVENTS: Adverse events that may occur while using the VersaCross.\*\* Sheath include • Infection • Air embolus • Local nerve damage • Vasovagal reaction • Dissection • Vessel spasm • AV fistula formation • Atrial septal defect • Pseudoaneurysm • Activity puncture • Arrhythmias • Perforation and/or tamponade • Hemationna • Hemorrhage • Catheter entrapment • Embolic events • Stroke • Valve damage • Mycoardial infarction • Pericardial/pleural effusion • Pulmonary edema • Coronary artery spasm and/or damage • Vessel traume • Paremaker/deficilitator lead disolarement

ED-1506705-A

