

ONE TIME. FOR A LIFETIME.

The one-time, minimally invasive procedure for people with non-valvular AFib who need an alternative to blood thinners.

Non-valvular AFib can mean a lifetime of blood thinners. It can also mean a lifetime of worry about bleeds from falls, other medical issues, or an unexpected surgery.



WATCHMAN™
LEFT ATRIAL APPENDAGE CLOSURE IMPLANT

**Boston
Scientific**
Advancing science for life™

TALK TO AN EDUCATIONAL SPECIALIST

Our trained professionals have healthcare experience. They're here to answer your questions about the WATCHMAN Implant and help you get ready to talk to your cardiologist.

1-855-637-9423

Monday to Friday, 8AM to 5PM Central Time



SEE IF YOU'RE ELIGIBLE FOR A WATCHMAN IMPLANT

Take a short survey to see if the WATCHMAN Implant may be right for you and receive a customized doctor discussion guide.

Eligibility.WATCHMAN.com




LEARN ABOUT THE WATCHMAN IMPLANT DIFFERENCE

See how the WATCHMAN Implant works and how the procedure is done or find real stories from real people who have already gotten a WATCHMAN Implant.

WATCHMAN.com





JOIN THE **200,000+** PEOPLE
LIKE YOU WHO HAVE LEFT
BLOOD THINNERS BEHIND WITH
THE WATCHMAN™ IMPLANT.

ALREADY HAVE A WATCHMAN IMPLANT?

Register your WATCHMAN Implant Card.

[WATCHMAN.com/register](https://www.watchman.com/register)



BRIEF SUMMARY

The WATCHMAN and WATCHMAN FLX Devices are permanent implants designed to close the left atrial appendage in the heart in an effort to reduce the risk of stroke.

With all medical procedures there are risks associated with the implant procedure and the use of the device. The risks include but are not limited to accidental heart puncture, air embolism, allergic reaction, anemia, anesthesia risks, arrhythmias, AV (Arteriovenous) fistula, bleeding or throat pain from the TEE (Trans Esophageal Echo) probe, blood clot or air bubbles in the lungs or other organs, bruising at the catheter insertion site, clot formation on the device, cranial bleed, excessive bleeding, gastrointestinal bleeding, groin puncture bleed, hypotension, infection/pneumonia, pneumothorax, pulmonary edema, pulmonary vein obstruction, renal failure, stroke, thrombosis and transient ischemic attack. In rare cases death can occur.

Be sure to talk with your doctor so that you thoroughly understand all of the risks and benefits associated with the implantation of the device.

HOW LINDA FEELS ABOUT HER LIFE WITHOUT BLOOD THINNERS:

“We have a lot of freedom
now to do the things that we
love to do together, without
all those fears.”

– Linda, 76

**Boston
Scientific**

Advancing science for life™

Cardiology

300 Boston Scientific Way
Marlborough, MA 01752-1234
www.bostonscientific.com

© 2022 Boston Scientific Corporation
or its affiliates. All rights reserved.

SH-1285202-AA