



2022 Quick Reference Guide – The Vertiflex™ Procedure†

Hospital Outpatient

Coding and Payment Guide for Medicare Reimbursement: The following are the 2022 Medicare coding and national payment rates for Interspinous Spacer procedures performed in the outpatient hospital setting. Comprehensive Ambulatory Payment Classification (C-APCs) are effective for services performed in an Outpatient Hospital. A Comprehensive APC, “C-APC” is a single all-inclusive payment for a primary device dependent service and all adjunct services provided to support the delivery of the primary service. APCs with a status indicator of, “J1,” have been designated by CMS as comprehensive APCs.

CPT® ¹	Description	APC ²	Status Indicator ³	Medicare National Average Payment ⁴
-------------------	-------------	------------------	-------------------------------	--

Interspinous Spacer Coding

22869	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; single level	5115	J8	\$12,593
22870	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image guidance when performed, lumbar; second level (List separately in addition to code for primary procedure)		N1	Packaged

HCPCS Level II Descriptors

C1821 Interspinous process distraction device (implantable)

†Superion® Indirect Decompression System

See Important notes on the uses and limitations of this information on Page 2

Indications for Use: The Superior™ Indirect Decompression System (IDS) is indicated to treat skeletally mature patients suffering from pain, numbness, and/or cramping in the legs (neurogenic intermittent claudication) secondary to a diagnosis of moderate degenerative lumbar spinal stenosis, with or without Grade 1 spondylolisthesis, having radiographic evidence of thickened ligamentum flavum, narrowed lateral recess, and/or central canal or foraminal narrowing. The Superior™ Interspinous Spacer is indicated for those patients with impaired physical function who experience relief in flexion from symptoms of leg/buttock/groin pain, with or without back pain, who have undergone at least 6 months of non-operative treatment. The Superior Interspinous Spacer may be implanted at one or two adjacent lumbar levels in patients in whom treatment is indicated at no more than two levels, from L1 to L5. Contraindications, warnings, precautions, side effects. The Superior Indirect Decompression System (IDS) is contraindicated for patients who: have spinal anatomy that prevent implantation of the device or cause the device to be unstable in situ (i.e., degenerative spondylolisthesis greater than grade 1), Cauda equina syndrome, or prior decompression or fusion at the index level. Refer to the Instructions for Use provided on www.vertiflex.com for additional Indications for Use, contraindications information and potential adverse effects, warnings, and precautions prior to using this product. Caution: U.S. Federal law restricts this device to sale by or on the order of a physician.

Disclaimer: Health economic and reimbursement information provided by Boston Scientific Corporation is gathered from third-party sources and is subject to change without notice as a result of complex and frequently changing laws, regulations, rules, and policies. This information is presented for illustrative purposes only and does not constitute reimbursement or legal advice. Boston Scientific encourages providers to submit accurate and appropriate claims for services. It is always the provider's responsibility to determine medical necessity, the proper site for delivery of any services, and to submit appropriate codes, charges, and modifiers for services rendered. It is also always the provider's responsibility to understand and comply with Medicare national coverage determinations (NCD), Medicare local coverage determinations (LCD), and any other coverage requirements established by relevant payers which can be updated frequently. Boston Scientific recommends that you consult with your payers, reimbursement specialists, and/or legal counsel regarding coding, coverage, and reimbursement matters. Boston Scientific does not promote the use of its products outside their FDA-approved label. Payer policies will vary and should be verified prior to treatment for limitations on diagnosis, coding, or site of service requirements. All trademarks are the property of their respective owners. The coding options listed within this guide are commonly used codes and are not intended to be an all-inclusive list. We recommend consulting your relevant manuals for appropriate coding options. This coding information may include codes for procedures for which Boston Scientific currently offers no cleared or approved products. In those instances, such codes have been included solely in the interest of providing users with comprehensive coding information and are not intended to promote the use of any Boston Scientific products for which they are not cleared or approved. The Health Care Provider (HCP) is solely responsible for selecting the site of service and treatment modalities appropriate for the patient based on medically appropriate needs of that patient and the independent medical judgement of the HCP. Information included herein is current as of 2020 but is subject to change without notice. Rates for services are effective January 1, 2022. Sequestration Disclaimer: Rates referenced in these guides do not reflect Sequestration; automatic reductions in federal spending that would result in a 2% across-the-board reduction to ALL Medicare rates. (Budget Control Act of 2011)



1. CPT Copyright 2021 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association. Applicable FARS/DFARS Restrictions Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

2. 42 CFR Parts 411, 412, 416, 419, 422, 423, and 424 [CMS-1613-FC]

3. J1: Hospital Part B services paid through a comprehensive APC.

4. 2021 Medicare National Average payment rates, unadjusted for wage. "National Average Payment" is the amount Medicare determines to be the maximum allowance for any Medicare covered procedure. These are national average payment amounts, individual payments may vary based on locality and Medicare's geographic adjustments. Actual payment will vary based on the maximum allowance less any applicable deductibles, co-insurance etc.

Neuromodulation
25155 Rye Canyon Loop
Valencia, CA 91355
www.bostonscientific.com
©2022 Boston Scientific Corporation
or its affiliates. All rights reserved.
NM-734303-AD