



Cardiac Rhythm Management and Diagnostics (CRM-Dx) Summary of Proposed CY2026 Medicare Policy and Payment Changes

Physician Fee Schedule (PFS), Hospital Outpatient Prospective Payment System (OPPS), and Ambulatory Surgery Center (ASC)

The Centers for Medicare and Medicaid Services (CMS) released the proposed payment rules for calendar year (CY) 2026 for the Physician Fee Schedule (PFS) on July 14, 2025 and for the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgery Centers (ASC) on July 15, 2025. Comments on the proposed PFS rule are due September 12, 2025, and the OPPS and ASC proposed rule comments are due September 15, 2025. Finalized rules and payment rates will be published in early November 2025 and will take effect on January 1, 2026.

Hospital Outpatient: OPPS payment rates are proposed to increase by 2.4%.

Ambulatory Surgical Center (ASC): ASC payment rates are proposed to increase by 2.4%

Physician Fee Schedule: The proposed physician conversion factor for clinicians who do not participate in Alternative Payment Models (APMs) is \$33.4209, resulting in a proposed increase of 3.3%.

Tables included at the end of this document list proposed national payment rates and average percent changes for select CRM-Dx-related procedures.

Hospital Outpatient Prospective Payment System Proposed Rule Highlights

CMS proposes increasing OPPS and ASC payment rates by 2.4% per Medicare law. This is based on the hospital market basket percentage increase of 3.2% and a 0.8% productivity reduction adjustment.

- **Phase-Out of Inpatient Only (IPO) List:** CMS proposes a 3-year phase-out of the IPO List that describes procedures reimbursed only when performed in an inpatient setting, beginning in CY2026. CMS proposes to begin with removal of 285 mainly musculoskeletal services.

- **Request for Information (RFI) on Software as a Service (SaaS) Payment:** In recognition of the rapid development of SaaS, CMS is seeking input on how to formally and consistently establish payment for SaaS technologies. At this time, no comprehensive Medicare payment policy for SaaS exists.

OPPS Proposed Payment Rates for Key CRM-Dx Procedures:

- ICD/CRTD/SICD system implant payment rates are proposed to increase by 1%.
- Pacemaker system implant payment rates are proposed to increase by 3%.
- Leadless pacemaker implant payment rates are proposed to increase by 4%.
- Subcutaneous Cardiac Rhythm Monitor payment rates are proposed to increase by 2%.

Ambulatory Surgery Center (ASC) Proposed Rule Highlights

- **ASC Covered Procedures List (ASC CPL):** CMS proposes revising the ASC CPL criteria and adding 276 procedures to the ASC CP. If the 271 codes currently proposed for removal from the IPO list are finalized, they will also be added to the ASC CPL.

ASC Proposed Payment Rates for Key CRM-Dx Procedures:

- Single and dual chamber pacemaker system implant payment rates on average are proposed to increase by 1%.
- Single and dual chamber pacemaker replacement payment rates on average are proposed to increase by 1%.
- ICD system implant payment rates on average are proposed to remain flat with no change.
- SICD system implant payment rates are proposed to decrease by 1%.
- Subcutaneous Cardiac Rhythm Monitor payment rates are proposed to increase by 2%.

Physician Fee Schedule (PFS) Proposed Rule Highlights

- **Proposed Ambulatory Specialty Model for Heart Failure:** CMS is proposing a mandatory payment model for specialists who treat Medicare fee-for-service beneficiaries for heart failure or low back pain in outpatient settings across selected regions. Under the new Heart Failure model, cardiologists would be financially responsible for the outcomes of patient care and incentivized to better prevent and manage these conditions. CMS plans to require participation by cardiologists who it believes are well-positioned to improve outcomes by ensuring patients are optimized on guideline-directed medical therapy. The model would begin in 2027 and run for five years.
- **New “Efficiency Adjustment”:** CMS proposes an adjustment of -2.5% to physician work Relative Value Units (RVUs), which would apply to all codes except time-based codes, such as evaluation and management (E/M) services, care management services, behavioral health services, services on the Medicare telehealth list, and maternity codes. Work RVUs account for approximately 51% of total RVUs for most services.

- **Practice Expense (PE) Adjustment:** CMS proposes to recognize greater indirect costs for practitioners in office-based settings compared to facility settings. CMS proposes to reduce the portion of the facility PE RVUs allocated based on work RVUs to half the amount allocated to non-facility PE RVUs for CY 2026. PE RVUs account for approximately 45% of total RVUs for most services.
- **Telehealth Services:** CMS proposes to streamline the different categories of services and permanently remove frequency limitations for subsequent inpatient and nursing facility visits and critical care consultations. CMS also proposes that a physician may provide virtual direct supervision for diagnostic tests and pulmonary rehabilitation services, as well as cardiac rehabilitation and intensive cardiac rehabilitation services.
- *PFS Proposed Payment Rates for Key CRM-Dx Procedures:*
 - ICD system implant payment rates are proposed to decrease by 8%.
 - S-ICD system implant payment rates are proposed to decrease by 7%.
 - CRT-D system implant payment rates are proposed to decrease by 8%.
 - ICD/CRT-D generator replacement payment rates on average are proposed to decrease by 7%.
 - Dual chamber pacemaker system implant payment rates are proposed to decrease by 7%.
 - Dual chamber pacemaker replacement payment rates are proposed to decrease by 7%.
 - Leadless pacemaker implant payment rates are proposed to decrease by 7%.
 - Subcutaneous Cardiac Rhythm Monitor in-office payment rates are proposed to increase by 6%.

WHAT'S NEXT?

- Boston Scientific plans to advocate for appropriate physician, outpatient hospital, and ASC reimbursement by participating in the public comment process and by aligning with key specialty societies to support their advocacy efforts.
- Interested parties can submit comments to CMS on both proposed rules at the following link: <http://www.regulations.gov>. Follow the "Submit a comment" instructions.

COMMENTS/QUESTIONS:

If you have questions or would like additional information, contact CRM.Reimbursement@bsci.com

SOURCE INFORMATION

Read the full CY2026 Proposed OPPS/ASC Rule at the following link: [CMS-1834-P | CMS](#)

Read the full CY2026 Proposed Physician Fee Schedule at the following link: [CMS-1832-P | CMS](#)

DISCLAIMER:

Health economic and reimbursement information provided by Boston Scientific Corporation is gathered from third-party sources and is subject to change without notice as a result of complex and frequently changing laws, regulations, rules, and policies. This information is presented for illustrative purposes only and does not constitute reimbursement or legal advice.

Boston Scientific encourages providers to submit accurate and appropriate claims for services. It is always the provider's responsibility to determine medical necessity, the proper site for delivery of any services, and to submit appropriate codes, charges, and modifiers for services rendered.

It is also always the provider's responsibility to understand and comply with Medicare national coverage determinations (NCD), Medicare local coverage determinations (LCD), and any other coverage requirements established by relevant payers which can be updated frequently. Boston Scientific recommends that you consult with your payers, reimbursement specialists, and/or legal counsel regarding coding, coverage, and reimbursement matters.

Boston Scientific does not promote the use of its products outside their FDA-approved label. Payer policies will vary and should be verified prior to treatment for limitations on diagnosis, coding, or site of service requirements.

The coding options listed within this guide are commonly used codes and are not intended to be an all-inclusive list. We recommend consulting your relevant manuals for appropriate coding options.

Current Procedural Terminology (CPT) Copyright 2024 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Restrictions apply to government use. Fee schedules, relative value units, conversion factors, and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

All trademarks are the property of their respective owners.

HOSPITAL OUTPATIENT CY2025 CN vs CY2026 Proposed							
APC		CY2025 CN Rate	CY2026 Proposed Rate	CY2025 CN vs CY2026 Proposed \$	CY2025 CN vs CY2026 Proposed %	CPT® Code	Code Description
Cardiac Rhythm Management and Diagnostics							
Device Implant Procedures							
5054	Level 4 Skin Procedures	\$1,829	\$2,137	\$308	17%	33222	Relocation of skin pocket for pacemaker
						33223	Relocation of skin pocket for implantable defibrillator
5071	Level 1 Excision/ Biopsy/ Incision and Drainage	\$704	\$730	\$26	4%	33286	Removal Subcutaneous Cardiac Rhythm Monitor
5183	Level 3 Vascular Procedures	\$3,148	\$3,254	\$106	3%	33215	Repositioning of previously implanted transvenous pacemaker or implantable defibrillator (right atrial or right ventricular) electrode
						33275	Transcatheter removal of permanent leadless pacemaker, right ventricular, including imaging guidance (eg, fluoroscopy, venous ultrasound, ventriculography, femoral venography), when performed
5191	Diagnostic Cardiac Catheterization	\$3,216	\$3,319	\$103	3%	93451	Right heart catheterization
						93452	Left heart catheterization/ventriculography
						93453	R&I heart catheterization w/ventriculography
5221	Level 1 Pacemaker and Similar Procedures	\$3,639	\$3,918	\$279	8%	33218	Repair of single transvenous electrode, permanent pacemaker or implantable defibrillator
						33220	Repair of 2 transvenous electrodes for permanent pacemaker or implantable defibrillator
						33234	Removal of transvenous pacemaker electrode(s); single lead system, atrial or ventricular
						33235	Removal of transvenous pacemaker electrode(s); dual lead system
						33241	Removal of implantable defibrillator pulse generator only
						33244	Removal of single or dual chamber implantable defibrillator electrode(s); by transvenous extraction
						33272	Removal of subcutaneous implantable defibrillator electrode
						33273	Repositioning of previously implanted subcutaneous implantable defibrillator electrode
5222	Level 2 Pacemaker and Similar Procedures	\$8,276	\$8,479	\$203	2%	33212	Insertion of pacemaker pulse generator only; with existing single lead
						33216	Insertion of a single transvenous electrode, permanent pacemaker or implantable defibrillator
						33217	Insertion of 2 transvenous electrodes, permanent pacemaker or implantable defibrillator
						33227	Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; single lead system
						33233	Removal of permanent pacemaker pulse generator only
						33271	Insertion of subcutaneous implantable defibrillator electrode
						33285	Insertion, subcutaneous cardiac rhythm monitor, including programming
5223	Level 3 Pacemaker and Similar Procedures	\$10,465	\$10,734	\$269	3%	33206	Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial
						33207	Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); ventricular
						33208	Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial and ventricular
						33213	Insertion of pacemaker pulse generator only; with existing dual leads
						33214	Upgrade of implanted pacemaker system, conversion of single chamber system to dual chamber system (includes removal of previously placed pulse generator, testing of existing lead, insertion of new lead, insertion of new pulse generator)
						33228	Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; dual lead system
5224	Level 4 Pacemaker and Similar Procedures	\$19,071	\$19,874	\$803	4%	33221	Insertion of pacemaker pulse generator only; with existing multiple leads
						33229	Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; multiple lead system
						33274	Transcatheter insertion or replacement of permanent leadless pacemaker, right ventricular, including imaging guidance (eg, fluoroscopy, venous ultrasound, ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed
5231	Level 1 ICD and Similar Procedures	\$22,446	\$23,013	\$567	3%	33230	Insertion of implantable defibrillator pulse generator only; with existing dual leads
						33240	Insertion of implantable defibrillator pulse generator only; with existing single lead
						33262	Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; single lead system
						33263	Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; dual lead system
5232	Level 2 ICD and Similar Procedures	\$32,062	\$32,329	\$267	1%	33231	Insertion of implantable defibrillator pulse generator only; with existing multiple leads
						33264	Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; multiple lead system
						33249	Insertion or replacement of permanent implantable defibrillator system, with transvenous lead(s), single or dual chamber
						33270	Insertion or replacement of permanent subcutaneous implantable defibrillator system, with subcutaneous electrode, including defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters, when performed

HOSPITAL OUTPATIENT CY2025 CN vs CY2026 Proposed						
APC		CY2025 CN Rate	CY2026 Proposed Rate	CY2025 CN vs CY2026 Proposed \$	CY2025 CN vs CY2026 Proposed %	CPT® Code Code Description
Device Evaluation						
5731	Level 1 Minor Procedures	\$24	\$31	\$7	29%	93291 Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; subcutaneous cardiac rhythm monitor system, including heart rhythm derived data analysis
5741	Level 1 Electronic Analysis of Devices	\$37	\$38	\$1	3%	93260 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; implantable subcutaneous lead defibrillator system
						93261 Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable subcutaneous lead defibrillator system
						93288 Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; single, dual, or multiple lead pacemaker system, or leadless pacemaker system
						93279 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead pacemaker system or leadless pacemaker system in one cardiac chamber
						93280 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; dual lead pacemaker system
						93281 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; multiple lead pacemaker system
						93289 Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; single, dual, or multiple lead transvenous implantable defibrillator system, including analysis of heart rhythm derived data elements
						93282 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead transvenous implantable defibrillator system
						93283 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; dual lead transvenous implantable defibrillator system
						93284 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; multiple lead transvenous implantable defibrillator system
						93285 Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; subcutaneous cardiac rhythm monitor system
						93290 Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable cardiovascular physiologic monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors
						93292 Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; wearable defibrillator system
						93293 Transtelephonic rhythm strip pacemaker evaluation(s) single, dual, or multiple lead pacemaker system, includes recording with and without magnet application with analysis, review and report(s) by a physician or other qualified health care professional, up to 90 days
						93296 Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead pacemaker system, leadless pacemaker system, or implantable defibrillator system, remote data acquisition(s), receipt of transmissions and technician review, technical support and distribution of results
						93297 Interrogation device evaluation(s), (remote) up to 30 days; implantable cardiovascular physiologic monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors, analysis, review(s) and report(s) by a physician or other qualified health care professional
						93298 Interrogation device evaluation(s), (remote) up to 30 days; subcutaneous cardiac rhythm monitor system, including analysis of recorded heart rhythm data, analysis, review(s) and report(s) by a physician or other qualified health care professional

HOSPITAL OUTPATIENT CY2025 CN vs CY2026 Proposed							
APC		CY2025 CN Rate	CY2026 Proposed Rate	CY2025 CN vs CY2026 Proposed \$	CY2025 CN vs CY2026 Proposed %	CPT® Code	Code Description
External Cardiac Monitoring							
5723	Level 2 Diagnostic Tests and Related Services (2025 APC was 5722)	\$311	\$382	\$71	23%	93229	External mobile cardiovascular telemetry with electrocardiographic recording, concurrent computerized real time data analysis and greater than 24 hours of accessible ECG data storage (retrievable with query) with ECG triggered and patient selected events transmitted to a remote attended surveillance center for up to 30 days; technical support for connection and patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional
5732	Level 2 Minor Procedures	\$39	\$39	\$0	0%	93242	External electrocardiographic recording for more than 48 hours up to 7 days by continuous rhythm recording and storage; recording (includes connection and initial recording)
5733	Level 3 Minor Procedures	\$59	\$61	\$2	3%	93226	External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; scanning analysis with report
5734	Level 4 Minor Procedures	\$129	\$136	\$7	5%	93225	External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; recording (includes connection, recording, and disconnection)
						93243	External electrocardiographic recording for more than 48 hours up to 7 days by continuous rhythm recording and storage; scanning analysis with report
						93247	External electrocardiographic recording for more than 7 days up to 15 days by continuous rhythm recording and storage; scanning analysis with report
5741	Level 1 Electronic Analysis of Devices	\$37	\$38	\$1	3%	93270	External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; recording (includes connection, recording, and disconnection)
5742	Level 2 Electronic Analysis of Devices	\$92	\$97	\$5	5%	93271	External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; transmission and analysis
CY2025	Final Rule CMS-1809-FC						
CY2026	Proposed Rule CMS-1834-P						

AMBULATORY Surgical Center (ASC) CY2025 CN vs CY2026 Proposed							CY2025 CN	CY2025 CN
CPT® Code	CPT® Descriptions	CY2025 Status Indicator	CY2025 Rate	CY2026 Status Indicator	CY2026 Proposed Rate	vs CY2026 Proposed	vs CY2026 Proposed	
						\$	%	
Cardiac Rhythm Management and Diagnostics								
Device Implant Procedures								
33206	Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial	J8	\$7,408	J8	\$7,289	(\$119)	-2%	
33207	Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); ventricular	J8	\$7,589	J8	\$7,597	\$8	0%	
33208	Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial and ventricular	J8	\$7,690	J8	\$7,789	\$99	1%	
33221	Insertion of pacemaker pulse generator only; with existing multiple leads	J8	\$13,487	J8	\$13,237	(\$250)	-2%	
33222	Relocation of skin pocket for pacemaker	A2	\$981	A2	\$1,136	\$155	16%	
33223	Relocation of skin pocket for implantable defibrillator	A2	\$981	A2	\$1,136	\$155	16%	
33227	Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; single lead system	J8	\$6,424	J8	\$6,431	\$7	0%	
33228	Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; dual lead system	J8	\$7,532	J8	\$7,586	\$54	1%	
33229	Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; multiple lead system	J8	\$13,222	J8	\$13,490	\$268	2%	
33233	Removal of permanent pacemaker pulse generator only	J8	\$5,506	J8	\$5,691	\$185	3%	
33234	Removal of transvenous pacemaker electrode(s); single lead system, atrial or ventricular (2025 Status indicator was G2)	J8	\$1,954	J8	\$2,696	\$742	38%	
33240	Insertion of implantable defibrillator pulse generator only; with existing single lead	J8	\$18,593	J8	\$19,094	\$501	3%	
33262	Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; single lead system	J8	\$18,723	J8	\$19,051	\$328	2%	
33263	Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; dual lead system	J8	\$18,856	J8	\$19,109	\$253	1%	
33264	Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; multiple lead system	J8	\$25,154	J8	\$25,053	(\$101)	0%	
33270	Insertion or replacement of permanent subcutaneous implantable defibrillator system, with subcutaneous electrode, including defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters, when performed	J8	\$25,448	J8	\$25,183	(\$265)	-1%	
33285	Insertion, subcutaneous cardiac rhythm monitor, including programming	J8	\$7,028	J8	\$7,201	\$173	2%	
33286	Removal, subcutaneous cardiac rhythm monitor	G2	\$378	G2	\$390	\$12	3%	
33249 + 33225	CRT-D System implant (33249 & 33225 when performed on the same day)	J8	\$24,924	J8	\$24,982	\$58	0%	
33249	Insertion or replacement of permanent implantable defibrillator system, with transvenous lead(s), single or dual chamber	J8	\$24,924	J8	\$24,982	\$58	0%	
33225	Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system) (List separately in addition to code for primary procedure)	N1	\$0	N1	\$0	\$0	NA	
C7537	Insert atrial pacemakert w/left ventricular lead	J8	\$10,905	J8	\$11,003	\$98	1%	
C7538	Insert ventricular pacemaker w/left ventricular lead	J8	\$11,087	J8	\$11,311	\$224	2%	

**AMBULATORY Surgical Center (ASC)
CY2025 CN vs CY2026 Proposed**

CPT® Code	CPT® Descriptions	CY2025 Status Indicator	CY2025 Rate	CY2026 Status Indicator	CY2026 Proposed Rate	CY2025 CN	CY2025 CN
						vs CY2026 Proposed	vs CY2026 Proposed
						\$	%
C7539	Insert atrial & ventricular pacemaker w/left ventricular lead	J8	\$11,187	J8	\$11,503	\$316	3%
C7540	Removal and replacement pacemaker, dual w/left ventricular lead	J8	\$11,029	NA	NA	NA	NA

CY2025 Final Rule CMS-1809-FC

CY2026 Proposed Rule CMS-1834-P

CPT Copyright 2024 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Restrictions Apply to Government Use. Fee schedules, relative value units, conversion factors, and/or related components are not assigned by the AMA, are not part of CPT®, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

- Please note: this coding information may include some codes for procedures for which Boston Scientific currently offers no cleared or approved products. In those instances, such codes have been included solely in the interest of providing users with comprehensive coding information and are not intended to promote the use of any Boston Scientific products for which they are not cleared or approved.
- National average final base payment amounts. Specific payment rates may change due to geographic wage differences.
- Payer policies will vary and should be verified prior to treatment for limitations on diagnosis, coding or site of service requirements. The coding options listed within this guide are commonly used codes and are not intended to be an all-inclusive list. We recommend consulting your relevant manuals for appropriate coding options.

Physician Fee Schedule (PFS) CY2025 Final vs CY2026 Proposed										
CPT®	Modifier	CPT® Description	CY2025 Final Facility Rate	CY2026 Proposed Facility Rate	CY2025 Final vs CY2026 Proposed Facility Rate \$	CY2025 Final vs CY2026 Proposed Facility Rate %	CY2025 Final Office Rate	CY2026 Proposed Office Rate	CY2025 Final vs CY2026 Proposed Office Rate \$	CY2025 Final vs CY2026 Proposed Office Rate %
Cardiac Rhythm Management and Diagnostics										
Device Implant Procedures										
33206		Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial	\$436	\$405	(\$31)	-7%	NA	NA	NA	NA
33207		Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); ventricular	\$458	\$425	(\$33)	-7%	NA	NA	NA	NA
33208		Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial and ventricular	\$495	\$459	(\$36)	-7%	NA	NA	NA	NA
33212		Insertion of pacemaker pulse generator only; with existing single lead	\$311	\$294	(\$17)	-5%	NA	NA	NA	NA
33213		Insertion of pacemaker pulse generator only; with existing dual leads	\$324	\$305	(\$18)	-6%	NA	NA	NA	NA
33221		Insertion of pacemaker pulse generator only; with existing multiple leads	\$342	\$321	(\$21)	-6%	NA	NA	NA	NA
33214		Upgrade of implanted pacemaker system, conversion of single chamber system to dual chamber system (includes removal of previously placed pulse generator, testing of existing lead, insertion of new lead, insertion of new pulse generator)	\$459	\$429	(\$30)	-7%	NA	NA	NA	NA
33215		Insertion of a single transvenous electrode, permanent pacemaker or implantable defibrillator	\$298	\$277	(\$21)	-7%	NA	NA	NA	NA
33216		Insertion of 2 transvenous electrodes, permanent pacemaker or implantable defibrillator	\$356	\$333	(\$23)	-7%	NA	NA	NA	NA
33217		Repair of single transvenous electrode, permanent pacemaker or implantable defibrillator	\$355	\$332	(\$22)	-6%	NA	NA	NA	NA
33218		Repair of 2 transvenous electrodes for permanent pacemaker or implantable defibrillator	\$374	\$350	(\$23)	-6%	NA	NA	NA	NA
33220		Repair of 2 transvenous electrodes for permanent pacemaker or implantable defibrillator	\$366	\$343	(\$23)	-6%	NA	NA	NA	NA
33222		Relocation of skin pocket for pacemaker	\$331	\$312	(\$18)	-5%	NA	NA	NA	NA
33223		Relocation of skin pocket for implantable defibrillator	\$392	\$367	(\$25)	-6%	NA	NA	NA	NA
33225		Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system) (List separately in addition to code for primary procedure)	\$439	\$396	(\$43)	-10%	NA	NA	NA	NA
33227		Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; single lead system	\$325	\$304	(\$21)	-7%	NA	NA	NA	NA
33228		Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; dual lead system	\$340	\$317	(\$23)	-7%	NA	NA	NA	NA
33229		Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; multiple lead system	\$357	\$332	(\$25)	-7%	NA	NA	NA	NA
33230		Insertion of implantable defibrillator pulse generator only; with existing dual leads	\$358	\$334	(\$24)	-7%	NA	NA	NA	NA
33231		Insertion of implantable defibrillator pulse generator only; with existing multiple leads	\$384	\$357	(\$26)	-7%	NA	NA	NA	NA
33233		Removal of permanent pacemaker pulse generator only	\$224	\$214	(\$10)	-5%	NA	NA	NA	NA
33234		Removal of transvenous pacemaker electrode(s); single lead system, atrial or ventricular	\$464	\$432	(\$32)	-7%	NA	NA	NA	NA
33235		Removal of transvenous pacemaker electrode(s); dual lead system	\$609	\$571	(\$38)	-6%	NA	NA	NA	NA
33240		Insertion of implantable defibrillator pulse generator only; with existing single lead	\$345	\$323	(\$22)	-6%	NA	NA	NA	NA
33241		Removal of implantable defibrillator pulse generator only	\$207	\$199	(\$8)	-4%	NA	NA	NA	NA
33262		Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; single lead system	\$356	\$331	(\$25)	-7%	NA	NA	NA	NA
33263		Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; dual lead system	\$371	\$345	(\$26)	-7%	NA	NA	NA	NA
33264		Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; multiple lead system	\$386	\$358	(\$29)	-7%	NA	NA	NA	NA
33244		Removal of single or dual chamber implantable defibrillator electrode(s); by transvenous extraction	\$824	\$771	(\$53)	-6%	NA	NA	NA	NA
33249		Insertion or replacement of permanent implantable defibrillator system, with transvenous lead(s), single or dual chamber	\$871	\$803	(\$68)	-8%	NA	NA	NA	NA

Physician Fee Schedule (PFS) CY2025 Final vs CY2026 Proposed										
CPT®	Modifier	CPT® Description	CY2025 Final Facility Rate	CY2026 Proposed Facility Rate	CY2025 Final vs CY2026 Proposed Facility Rate \$	CY2025 Final vs CY2026 Proposed Facility Rate %	CY2025 Final Office Rate	CY2026 Proposed Office Rate	CY2025 Final vs CY2026 Proposed Office Rate \$	CY2025 Final vs CY2026 Proposed Office Rate %
33270		Insertion or replacement of permanent subcutaneous implantable defibrillator system, with subcutaneous electrode, including defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters, when performed	\$536	\$497	(\$39)	-7%	NA	NA	NA	NA
33271		Insertion of subcutaneous implantable defibrillator electrode	\$436	\$408	(\$28)	-6%	NA	NA	NA	NA
33272		Removal of subcutaneous implantable defibrillator electrode	\$334	\$312	(\$22)	-7%	NA	NA	NA	NA
33273		Repositioning of previously implanted subcutaneous implantable defibrillator electrode	\$385	\$361	(\$24)	-6%	NA	NA	NA	NA
33274		Transcatheter insertion or replacement of permanent leadless pacemaker, right ventricular, including imaging guidance (eg, fluoroscopy, venous ultrasound, ventriculography, femoral venography) and device evaluation (eg, interrogation or programming), when performed	\$456	\$423	(\$34)	-7%	NA	NA	NA	NA
33275		Transcatheter removal of permanent leadless pacemaker, right ventricular, including imaging guidance (eg, fluoroscopy, venous ultrasound, ventriculography, femoral venography), when performed	\$483	\$449	(\$33)	-7%	NA	NA	NA	NA
33285		Insertion, subcutaneous cardiac rhythm monitor, including programming	\$83	\$76	(\$8)	-9%	\$3,804	\$4,050	\$246	6%
33286		Removal, subcutaneous cardiac rhythm monitor	\$82	\$75	(\$7)	-9%	\$124	\$130	\$6	5%
Device Evaluation										
93641	26	Electrophysiologic evaluation of single or dual chamber pacing cardioverter-defibrillator leads including defibrillation threshold evaluation (induction of arrhythmia, evaluation of sensing and pacing for arrhythmia termination) at time of initial implantation or replacement; with testing of single or dual chamber pacing cardioverter-defibrillator pulse generator	\$290	\$303	\$14	5%	\$290	\$303	\$14	5%
93260		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; implantable subcutaneous lead defibrillator system	NA	\$76	NA	NA	\$73	\$76	\$3	4%
93260	TC		NA	\$35	NA	NA	\$34	\$35	\$1	4%
93260	26		\$39	\$41	\$2	4%	\$39	\$41	\$2	4%
93261		Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable subcutaneous lead defibrillator system	NA	\$71	NA	NA	\$67	\$71	\$3	5%
93261	TC		NA	\$35	NA	NA	\$33	\$35	\$1	4%
93261	26		\$34	\$36	\$2	5%	\$34	\$36	\$2	5%
93288		Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; single, dual, or multiple lead pacemaker system, or leadless pacemaker system	NA	\$56	NA	NA	\$54	\$56	\$2	4%
93288	TC		NA	\$36	NA	NA	\$34	\$36	\$1	4%
93288	26		\$19	\$20	\$1	3%	\$19	\$20	\$1	3%
93279		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead pacemaker system or leadless pacemaker system in one cardiac chamber	NA	\$67	NA	NA	\$64	\$67	\$3	4%
93279	TC		NA	\$36	NA	NA	\$35	\$36	\$2	5%
93279	26		\$30	\$31	\$1	3%	\$30	\$31	\$1	3%
93280		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; dual lead pacemaker system	NA	\$79	NA	NA	\$75	\$79	\$4	6%
93280	TC		NA	\$42	NA	NA	\$40	\$42	\$2	5%
93280	26		\$35	\$37	\$2	6%	\$35	\$37	\$2	6%
93281		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; multiple lead pacemaker system	NA	\$84	NA	NA	\$80	\$84	\$4	5%
93281	TC		NA	\$42	NA	NA	\$41	\$42	\$2	4%
93281	26		\$39	\$41	\$2	5%	\$39	\$41	\$2	5%
93289		Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; single, dual, or multiple lead transvenous implantable defibrillator system, including analysis of heart rhythm derived data elements	NA	\$72	NA	NA	\$69	\$72	\$4	5%
93289	TC		NA	\$36	NA	NA	\$34	\$36	\$2	5%
93289	26		\$34	\$36	\$2	5%	\$34	\$36	\$2	5%
93282		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead transvenous implantable defibrillator system	NA	\$80	NA	NA	\$76	\$80	\$4	5%
93282	TC		NA	\$39	NA	NA	\$37	\$39	\$2	5%
93282	26		\$39	\$41	\$2	5%	\$39	\$41	\$2	5%

Physician Fee Schedule (PFS) CY2025 Final vs CY2026 Proposed										
CPT®	Modifier	CPT® Description	CY2025 Final Facility Rate	CY2026 Proposed Facility Rate	CY2025 Final vs CY2026 Proposed Facility Rate \$	CY2025 Final vs CY2026 Proposed Facility Rate %	CY2025 Final Office Rate	CY2026 Proposed Office Rate	CY2025 Final vs CY2026 Proposed Office Rate \$	CY2025 Final vs CY2026 Proposed Office Rate %
93283		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; dual lead transvenous implantable defibrillator system	NA	\$97	NA	NA	\$93	\$97	\$3	4%
93283	TC		NA	\$42	NA	NA	\$40	\$42	\$2	5%
93283	26		\$53	\$54	\$1	3%	\$53	\$54	\$1	3%
93284		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; multiple lead transvenous implantable defibrillator system	NA	\$105	NA	NA	\$101	\$105	\$4	4%
93284	TC		NA	\$45	NA	NA	\$43	\$45	\$2	5%
93284	26		\$58	\$59	\$2	3%	\$58	\$59	\$2	3%
93291		Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; subcutaneous cardiac rhythm monitor system, including heart rhythm derived data analysis	NA	\$49	NA	NA	\$47	\$49	\$2	5%
93291	TC		NA	\$31	NA	NA	\$30	\$31	\$1	4%
93291	26		\$17	\$18	\$1	5%	\$17	\$18	\$1	5%
93285		Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; subcutaneous cardiac rhythm monitor system	NA	\$60	NA	NA	\$57	\$60	\$3	5%
93285	TC		NA	\$35	NA	NA	\$33	\$35	\$2	5%
93285	26		\$24	\$25	\$1	5%	\$24	\$25	\$1	5%
93290		Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable cardiovascular physiologic monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors	NA	\$53	NA	NA	\$50	\$53	\$2	5%
93290	TC		NA	\$32	NA	NA	\$31	\$32	\$2	6%
93290	26		\$20	\$20	\$1	3%	\$20	\$20	\$1	3%
93292		Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; wearable defibrillator system	NA	\$51	NA	NA	\$49	\$51	\$3	5%
93292	TC		NA	\$31	NA	NA	\$29	\$31	\$2	7%
93292	26		\$20	\$20	\$1	3%	\$20	\$20	\$1	3%
93286		Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review and report by a physician or other qualified health care professional; single, dual, or multiple lead pacemaker system, or leadless pacemaker system	NA	\$45	NA	NA	\$43	\$45	\$2	4%
93286	TC		NA	\$30	NA	NA	\$29	\$30	\$1	4%
93286	26		\$14	\$14	\$0	3%	\$14	\$14	\$0	3%
93287		Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review and report by a physician or other qualified health care professional; single, dual, or multiple lead implantable defibrillator system	NA	\$52	NA	NA	\$50	\$52	\$2	5%
93287	TC		NA	\$30	NA	NA	\$29	\$30	\$1	4%
93287	26		\$21	\$22	\$1	5%	\$21	\$22	\$1	5%
93293		Transtelephonic rhythm strip pacemaker evaluation(s) single, dual, or multiple lead pacemaker system, includes recording with and without magnet application with analysis, review and report(s) by a physician or other qualified health care professional, up to 90 days	NA	\$40	NA	NA	\$40	\$40	(\$0)	-1%
93293	TC		NA	\$26	NA	NA	\$27	\$26	(\$0)	-2%
93293	26		\$13	\$13	\$0	1%	\$13	\$13	\$0	1%
93294		Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead pacemaker system, or leadless pacemaker system with interim analysis, review(s) and report(s) by a physician or other qualified health care professional	\$28	\$29	\$1	5%	\$28	\$29	\$1	5%
93295		Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead implantable defibrillator system with interim analysis, review(s) and report(s) by a physician or other qualified health care professional	\$35	\$36	\$2	5%	\$35	\$36	\$2	5%
93296		Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead pacemaker system, leadless pacemaker system, or implantable defibrillator system, remote data acquisition(s), receipt of transmissions and technician review, technical support and distribution of results	NA	\$20	NA	NA	\$19	\$20	\$1	5%

Physician Fee Schedule (PFS) CY2025 Final vs CY2026 Proposed										
CPT®	Modifier	CPT® Description	CY2025 Final Facility Rate	CY2026 Proposed Facility Rate	CY2025 Final vs CY2026 Proposed Facility Rate \$	CY2025 Final vs CY2026 Proposed Facility Rate %	CY2025 Final Office Rate	CY2026 Proposed Office Rate	CY2025 Final vs CY2026 Proposed Office Rate \$	CY2025 Final vs CY2026 Proposed Office Rate %
93297		Interrogation device evaluation(s), (remote) up to 30 days; implantable cardiovascular physiologic monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors, analysis, review(s) and report(s) by a physician or other qualified health care professional	NA	\$61	NA	NA	\$58	\$61	\$3	4%
93297	TC		NA	\$36	NA	NA	\$35	\$36	\$2	5%
93297	26		\$24	\$24	\$1	3%	\$24	\$24	\$1	3%
93298		Interrogation device evaluation(s), (remote) up to 30 days; subcutaneous cardiac rhythm monitor system, including analysis of recorded heart rhythm data, analysis, review(s) and report(s) by a physician or other qualified health care professional	NA	\$104	NA	NA	\$98	\$104	\$7	7%
93298	TC		NA	\$80	NA	NA	\$74	\$80	\$5	7%
93298	26		\$24	\$25	\$1	5%	\$24	\$25	\$1	5%
External Cardiac Monitoring										
93224		External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; includes recording, scanning analysis with report, review and interpretation by a physician or other qualified health care professional	NA	\$71	NA	NA	\$68	\$71	\$2	3%
93225		External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; recording (includes connection, recording, and disconnection)	NA	\$18	NA	NA	\$17	\$18	\$1	3%
93226		External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; scanning analysis with report	NA	\$35	NA	NA	\$33	\$35	\$1	4%
93227		External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; review and interpretation by a physician or other qualified health care professional	\$17	\$18	\$0	1%	\$17	\$18	\$0	1%
93228		External mobile cardiovascular telemetry with electrocardiographic recording, concurrent computerized real time data analysis and greater than 24 hours of accessible ECG data storage (retrievable with query) with ECG triggered and patient selected events transmitted to a remote attended surveillance center for up to 30 days; review and interpretation with report by a physician or other qualified health care professional	\$24	\$25	\$1	5%	\$24	\$25	\$1	5%
93229		External mobile cardiovascular telemetry with electrocardiographic recording, concurrent computerized real time data analysis and greater than 24 hours of accessible ECG data storage (retrievable with query) with ECG triggered and patient selected events transmitted to a remote attended surveillance center for up to 30 days; technical support for connection and patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as	NA	\$766	NA	NA	\$745	\$766	\$21	3%
93241		External electrocardiographic recording for more than 48 hours up to 7 days by continuous rhythm recording and storage; includes recording, scanning analysis with report, review and interpretation	NA	\$262	NA	NA	\$260	\$262	\$3	1%
93242		External electrocardiographic recording for more than 48 hours up to 7 days by continuous rhythm recording and storage; recording (includes connection and initial recording)	NA	\$12	NA	NA	\$11	\$12	\$1	6%
93243		External electrocardiographic recording for more than 48 hours up to 7 days by continuous rhythm recording and storage; scanning analysis with report	NA	\$228	NA	NA	\$226	\$228	\$1	1%
93244		External electrocardiographic recording for more than 48 hours up to 7 days by continuous rhythm recording and storage; review and interpretation	\$22	\$23	\$1	3%	\$22	\$23	\$1	3%
93245		External electrocardiographic recording for more than 7 days up to 15 days by continuous rhythm recording and storage; includes recording, scanning analysis with report, review and interpretation	NA	\$273	NA	NA	\$270	\$273	\$2	1%
93246		External electrocardiographic recording for more than 7 days up to 15 days by continuous rhythm recording and storage; recording (includes connection and initial recording)	NA	\$12	NA	NA	\$11	\$12	\$0	3%
93247		External electrocardiographic recording for more than 7 days up to 15 days by continuous rhythm recording and storage; scanning analysis with report	NA	\$236	NA	NA	\$235	\$236	\$1	1%
93248		External electrocardiographic recording for more than 7 days up to 15 days by continuous rhythm recording and storage; review and interpretation	\$24	\$25	\$0	2%	\$24	\$25	\$0	2%
93268		External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; includes transmission, review and interpretation by a physician or other qualified health care professional	NA	\$171	NA	NA	\$163	\$171	\$7	5%
93270		External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; recording (includes connection, recording, and disconnection)	NA	\$8	NA	NA	\$8	\$8	\$1	8%

Physician Fee Schedule (PFS) CY2025 Final vs CY2026 Proposed										
CPT®	Modifier	CPT® Description	CY2025 Final Facility Rate	CY2026 Proposed Facility Rate	CY2025 Final vs CY2026 Proposed Facility Rate \$	CY2025 Final vs CY2026 Proposed Facility Rate %	CY2025 Final Office Rate	CY2026 Proposed Office Rate	CY2025 Final vs CY2026 Proposed Office Rate \$	CY2025 Final vs CY2026 Proposed Office Rate %
93271		External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; transmission and analysis	NA	\$139	NA	NA	\$133	\$139	\$6	5%
93272		External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; review and interpretation by a physician or other qualified health care professional	\$23	\$24	\$1	3%	\$23	\$24	\$1	3%
CY2025	CMS- 1807-F	CF 32.3465								
CY2026	CMS- 1832-P	CF 33.4209								
<p>CPT Copyright 2024 American Medical Association. All rights reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Restrictions Apply to Government Use. Fee schedules, relative value units, conversion factors, and/or related components are not assigned by the AMA, are not part of CPT®, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.</p> <p>• Please note: this coding information may include some codes for procedures for which Boston Scientific currently offers no cleared or approved products. In those instances, such codes have been included solely in the interest of providing users with comprehensive coding information and are not intended to promote the use of any Boston Scientific products for which they are not cleared or approved.</p> <p>• National average final base payment amounts. Specific payment rates may change due to geographic wage differences.</p> <p>• Payer policies will vary and should be verified prior to treatment for limitations on diagnosis, coding or site of service requirements. The coding options listed within this guide are commonly used codes and are not intended to be an all-inclusive list. We recommend consulting your relevant manuals for appropriate coding options.</p>										