

# AcuPulse<sup>™</sup> DU0 Surgical CO<sub>2</sub> Laser System

The versatility to choose the right treatment for your patient







# SurgiTouch™ Scanner: with articulated arm, designed for precision

The Digital AcuBlade™ Micromanipulator with SurgiTouch Scanner delivers laser energy inside a user-defined geometric shape.¹¹ The rapid motion of the scanner takes the energy delivery and the entire operation to high precision levels designed to:

- Enable control over incision length, shape, ablation area and treatment depth.
- Minimise thermal spread with preservation of adjacent tissue. 1-3,5-6\*,7-8
- > Allow for customisation to patient anatomy.

# FiberLase<sup>™</sup> CO<sub>2</sub> fibre: enable access and energy delivery

The flexible CO<sub>2</sub> laser fibre is designed to facilitate access to difficult-to-reach areas.<sup>1,9</sup>

This hand-held fibre is designed to be intuitive, which may facilitate adoption in the surgical sphere.

- Renewable tip is cleavable during use, for consecutive focused laser transmission.
- Adjustable aiming beam enables precise positioning to help target desired tissue.
- ➤ 2 m long fibre designed for extended flexibility and manoeuvring.
- Compatible with a variety of flexible endoscopes and robotic tools.
- > Available with designated surgical tools.



# The AcuPulse™ DUO CO₂ Laser System is a unique combination of fibre and free-beam energy delivery on a single device

With the ability to utilise two modalities on the same laser console, there is no need to choose. The precision of the Digital AcuBlade™ Micromanipulator alongside the flexibility of the fibre allows you to address surgical challenges and to treat anatomy with delicacy, resulting in virtually char-free margins and minimal thermal necrosis.<sup>1,3-4,5-6\*,7</sup>

### **AcuPulse**<sup>™</sup> **DUO Laser System unique features:**

- > Seamless alternation between the free-beam and fibre delivery modes.
- Three power and time exposure modes that enable customised energy delivery for controlled laser-tissue interaction:
  - Continuous Wave steady, continuous beam of energy, when coagulation is required
  - Pulser constant frequency with variable pulse length, designed to yield desired average power
  - SuperPulse continuous series of short-duration, high-peak power pulses designed for char-free outcomes
- Advanced, electronically controlled air management system.
- > Embedded procedure and assembly videos in the user interface.
- > 99 memory settings can be integrated and saved on the system for various users.

The AcuPulse DUO Laser System is intended for use in surgical applications requiring the ablation, excision, incision and coagulation of soft tissue. A wide range of indications for use offers a variety of options within the healthcare facility. A partial list of indications include:


## **Otolaryngology**

(ENT)



- Benign and malignant lesions: oral, nasal, pharynx, larynx, trachea and ear
- Papillomatosis
- Tonsillectomy
- Bronchoscopy
- Subglottic and tracheal stenosis
- Stapedotomy
- Cholesteatoma
- Myringotomy

## Gynaecology





- Endometriosis
- Excision/lysis of adhesions
- Uterine myomas and fibroids
- Ovarian fibromas and follicle cysts
- Uterosacral ligament ablation
- Hysterectomy
- Cone biopsy of the cervix

### **Risk information**

CO<sub>2</sub> lasers (10.6 µm wavelength) are intended solely for use by trained doctors. Incorrect treatment settings or misuse of the technology can present risk of serious injury to patient and operating personnel. The use of CO<sub>2</sub> laser is contraindicated where a clinical procedure is limited by anaesthesia requirements, site access or other general operative considerations. Risks may include excessive thermal injury and infection. Read and understand the CO<sub>2</sub> systems and accessories operator manuals for a complete list of intended use, contraindications and risks.



LASER CLASS 4/IV CO<sub>2</sub>: 10.6 µm, 60W Max, CW

Max Pulse Width: 290Us

LASER CLASS 3R/IIIa Diode Laser: 635nm, 5mW Max, CW

VISIBLE AND INVISIBLE LASER RADIATION AVOID EYE OR SKIN EXPOSURE TO DIRECT OR SCATTERED RADIATION

CLASS 4 LASER PRODUCT per EN 60825-1/2007 CLASS IV LASER PRODUCT per 21 CFR 1040.10 &1040.11 except for deviations pursuant to Notice 50, Dated June 24, 2007

#### AcuPulse™ DUO Surgical CO<sub>2</sub> Laser System technical specifications

AcuPulse DUO models	30/40 30ST/40ST (ST=with SurgiTouch system); specific configuration kit required	Beam delivery	Lightweight, carbon fibre, 7-joint, spring-balanced arm, 144 cm (56.7") reach, 360 deg. rotation, flexible fibre using the Lumenis family of CO <sub>2</sub> fibres	
Laser type	CO <sub>2</sub> laser, sealed-off, DC excited			
Wavelength	10.6 micron, infra-red	Laser emission	LED illuminated indication active port	
Mode structure	TEM00	— indicators	<ul> <li>Aiming beam only emits from active port</li> <li>Yellow lamp: standby/ready/lasing indicator</li> </ul>	
Laser operating modes	Continuous Wave (CW), Pulser, SuperPulse (SP)		• Audible tone	
CW power	1-30 W / 1-40 W	Memory settings	Min. 100+ custom memory setting capacity	
SuperPulse average power	0.5-10 W / 0.5-15 W (timed: 0.2-10 W / 0.2-15 W)	Cooling	Self-contained, closed cycle	
		Air management	Internal (low flow) or external (high flow) with	
Pulser average power	1-25 W / 1-35 W		bacteriologic filter; electronically controlled	
Controls	<ul> <li>Multi-colour touch panel – high resolution</li> <li>Footswitch, up to 10 m</li> <li>Screen dimensions: 10.4"</li> <li>Electronically controlled switching between fibre and free beam</li> </ul>	Electrical	100-240 VAC, 9A (MAX), 50/60 Hz single phase	
		Dimensions	40 cm W x 40 cm D x 135 cm H; (15.8" W x 15.8" D x 53.6" H)	
		Weight	53 kg (117 lbs)	
Aiming beam	5 mW red diode laser, 635 nm, adjustable intensity, blink on/off, diode off while lasing option.			

#### Tissue exposure modes [model: AcuPulse DUO 40 (30)]

	Power (W)	On time (sec)	Off time (sec)	Repeated (counts)
Continuous:	1.0-4.5 5.0-40 (30)	N/A	N/A	N/A
Single pulse	1.0-4.5 5.0-40 (30)	0.05–1.00 0.01–1.00	N/A	N/A
Repeat pulse	1.0-4.5 5.0-40 (30)	0.05-1.00 0.01-1.00	0.01–1.00 0.01–1.00	2-10 2-10

\*Bench test results may not necessarily be indicative of clinical performance.

- Tirelli G, Boscolo Nata F, Bussani R, et al. How we improve the transoral resection for oral and oropharyngeal cancer: the CO2 waveguide laser. Eur Arch Otorhinolaryngol. 2019 Aug; 276(8): 2301-10.
- $Osuch-Wójcikiewicz\ E,\ Rzepakowska\ A,\ Sobol\ M,\ et\ al.\ Oncological\ outcomes\ of\ CO2\ laser\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ for\ glottic\ squamous\ cell\ carcinoma\ with\ respect\ to\ anterior\ cordectomies\ cordectomies$ commissure involvement and margin status, Lasers Surg Med. 2019 Dec:51(10):874-81.
- Shurgalin M, Anastassiou C. A new modality for minimally invasive CO2 laser surgery: Flexible hollow-core photonic bandgap fibers. Biomed Instrum Technol. 2008
- 4. Luna-Ortiz K, Hidalgo-Bahena SC, Muñoz-Gutiérrez TL, et al. Tumors of the oral cavity: CO2 laser management. Med Oral Patol Oral Cir Bucal. 2019 Jan 1;24(1):e84-e88.
- 5. Hanby DF, Gremillion G, Zieske AW, et al. Harmonic scalpel versus flexible CO2 laser for tongue resection: a histopathological analysis of thermal damage in human cadavers. World J Surg Oncol. 2011 Aug 1;9:83.
- Liboon J, Funkhouser W, Terris DJ. A comparison of mucosal incisions made by scalpel, CO2 laser, electrocautery, and constant-voltage electrocautery. Otolaryngol Head Neck Surg. 1997 Mar;116(3):379-85.
- Remacle M, Matar N, Delos M, et al. Is frozen section reliable in transoral CO(2) laser-assisted cordectomies? Eur Arch Otorhinolaryngol. 2010 Mar;267(3):397-400.
- $Hendriks ma, M, Heijnen\,BJ, Sj\"{o}gren\,EV.\,Oncologic\,and\,functional\,out comes\,of\,patients\,treated\,with\,transoral\,CO2\,laser\,microsurgery\,or\,radiotherapy\,for\,T2\,glottic$ carcinoma: a systematic review of the literature. Curr Opin Otolaryngol Head Neck Surg. 2018 Apr;26(2):84-93.
- Remacle M, Ricci-Maccarini A, Matar N, et al. Reliability and efficacy of a new CO2 laser hollow fiber: a prospective study of 39 patients. Eur Arch Otorhinolaryngol. 2012 Mar;269(3):917-21.
- 10. Matar N, Amoussa K, Verduyckt I, et al. CO2 laser-assisted microsurgery for intracordal cysts: technique and results of 49 patients. Eur Arch Otorhinolaryngol. 2010 Dec:267(12):1905-9.

 $Boston \, Scientific \, acquired \, the \, global \, surgical \, business \, of \, Lumen is \, Ltd. \, Some \, names \, of \, products \, manufactured \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, Scientific \, may \, contain \, the \, term \, and \, sold \, by \, Boston \, and \, boston \, an$ 'Lumenis'. Lumenis is a registered trademark of Lumenis Be

CAUTION: The law restricts these devices to sale by or on the order of a doctor. Indications, contraindications, warnings and instructions for use can be found in the product labelling supplied with each device or at www.IFU-BSCI.com. Products shown for INFORMATION purposes only and may not be approved or for sale in certain countries. This material not intended for use in France.

All images are the property of Boston Scientific. All trademarks are the property of their respective owners.

URO-1295706-AA SEP 2022



www.bostonscientific.eu ©2022 Boston Scientific Corporation or its affiliates. All rights reserved

DINURO2512EA