

# **Conditional Defibrillation System** de for MRI Scans

Magnetic Resonance Imaging (MRI) is a diagnostic test that uses a powerful magnet and radio waves to produce images of the human body. Most defibrillation systems are not compatible with an MRI scan procedure or with being near MRI scanners. However, some defibrillator patients need to have MRI scans to diagnose their health conditions and determine proper treatment. Boston Scientific has a defibrillation system that can be scanned when certain conditions are met. This includes programming the defibrillator to special settings for MRI.

You MAY be eligible to have an MRI scan if you are implanted with the Boston Scientific ImageReady MR Conditional Defibrillation System which has been tested for use with MRI scans. Your heart doctor or healthcare provider will work with you to determine if you and your defibrillation system can undergo an MRI scan.

Talk to your heart doctor about the risks and benefits of having an MRI scan.

## Common Questions

To be eligible for an MRI scan, you must have an ImageReady MR Conditional Defibrillation System implanted. The clinic performing the scan must use an MRI machine that meets the conditions of use of the ImageReady Defibrillation System.

Common questions include:

- 1. Am I able to have an MRI scan?
  - If a healthcare provider recommends an MRI scan, talk to your heart doctor before
  - permanent loss of the Beeper volume on the defibrillator. Talk to your heart doctor to weigh the benefit of the MRI procedure against the risk of losing the Beeper Your heart doctor will chart.
  - Your heart doctor will check you and your ImageReady Defibrillation System to determine if you are eligible for an MRI scan.
  - Even if your defibrillation system is eligible, you may have other implanted devices or metal in your body that may prevent you from having an MRI scan.
  - You must be physically capable of having an MRI scan. This means that you can lay flat during the scan, and tolerate how the defibrillator functions during the scan.
  - Always check with your heart doctor or a healthcare provider if you have questions before or after the MRI scan.

ImageReady is a trademark of Boston Scientific.

### 2. What can I expect during an MRI scan?

- Your implanted defibrillation system is listed on your current medical device ID card.
   You should keep this card with you at all times, and take it with you to the MRI facility.
- Before the scan, your defibrillator will be programmed to the MRI settings. These
  settings are necessary for you to receive an MRI scan. While programmed to these
  settings, the device cannot deliver shock or pacing therapy and your heart rate may
  feel different from what you are accustomed to. Therefore, talk to your heart doctor to
  understand the monitoring you will receive for the entire time your defibrillation system
  is in the MRI settings.
- Your defibrillator may stay in the MRI settings for a limited time. If so, you or your caregiver may be notified of the duration of time your device will remain in the MRI settings. The MRI scan needs to be completed before that time expires.
- You may see signs at the MRI facility that warn you not to enter if you have a
  defibrillator. These signs apply to defibrillation systems that are not eligible,
  programmed, and cleared to have an MRI scan. Always check with a healthcare
  provider if you have questions.
- During the MRI scan, you may experience the following:
  - Loud noises are part of a normal MRI scan; the noises are not coming from your defibrillator.
  - Slight movement, vibration, or a warm sensation from the defibrillator.
- What happens after the scan?
  - After the scan, follow the directions provided by your heart doctor or healthcare provider.
  - Your implanted ImageReady Defibrillation System may be checked after the MRI to
    ensure it is working normally. The defibrillation system may be manually programmed
    out of the MRI settings, or it may return to your normal settings automatically after a
    specific period of time set by your heart doctor.
  - Due to the permanent loss of Beeper volume on the defibrillator caused by an MRI scan, your heart doctor may recommend using a patient monitoring system or more frequent in-clinic follow-ups after an MRI scan.
  - If you experience any new symptoms after the scan, contact your heart doctor or healthcare provider.
  - If you need additional MRI scans, you and your ImageReady Defibrillation System must be checked for eligibility for a scan each time. If your implanted defibrillation system has changed, for example by implant of a new defibrillator or lead wires, or if aspects of your health have changed, it is possible that you are no longer eligible for an MRI scan.

```
OCTAPAITA BEPCHA, IJAHE CE VISTO 138A.
                                    Foreldet version. Walke anvendes.
                                                      Version iiberholt. Nicht verwenden.
                   Lastarala verle. Nepolitivat.
                                                                                           AEGUIUU VEISIUUII. HIYE KASUIAYE. ORONIO IEHE.
                                                                           AEDINIAN ELINE IN THE WEINE HILLS OF THE THE WEINE HAS UP AS UP AS
                                                                                                                                                                        Jersin Penniee ne pas uninser of ebilavati.

Zastariela verzija. Nemojte upo trebljavati.

Zastariela verzija. Nemojte upo trebljavati.
                                                                                                                Outdated Version by Volumer, with the constraint of the constraint
                                                                                                                                                    Version Périnée. Ne pas villiser.
                                                                                                                                  Version obsoleta. No utilizar.
                                                                                                                                                                                                            JIEL JUDGO OBSOLETA, NON LITHIZZARE.
                                                                                                                                                                                                                                                                                      Move Coinsi Versi a Meizing Meizing Move Coinsi Versi a Meizing Meizin
                                                                                                                                                                                            Trelt Utodita. Notio ekki.
                                                                                                                                                                                                                                                   Pasenusi versija. Nenaudokite.
                                                                                                                                                                                                                                                                                                          Jilizeen verouver Geverste, wet of his of the brukes.

Jilizeen veron on one in china in the brukes.

Jilizeen veron on one in china in the brukes.
                                                                                                                                                                                                                                                                                                                            Judiel Versia Przeterninowana. Nie używać.
                                                                                                                                                                                                                                                                        Elavilt verzió. Ne haszhálial.
                                                                                                                                                                                                                                                                                                                                                                 Versing expirate Anuse utilize
                                                                                                                                                                                                                                                                                                                                                Versão obsoleta. Não utilize.
                                                                                                                                                                                                                                                                                                                                                                                      Lastarana verzia. Nepoliziwat.
                                                                                                                                                                                                                                                                                                                                                                                                         Lastarela razlicica. Ne uporabite.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Gily Cel olwayan siriim. Killanmayin.
                                                                                                                                                                                                                                                                                                                                                                                                                          Vanhentunit versio, Ala kayta.
                                                                                                                                                                                                                                                                                                                                                                                                                                              For all rad version Anvandel
```

# REGULING VELSIOON, HIGE KASILIAGE, OR LINE LONG TO TELLE. Version périnée. Ne pas utiliser.



OCTAPANA BEPCNA. Maranishirat

Lastarala verze. Nepoużlyat.

Lastalala velle, we have the higher any endes.

Version in bely off. With the Menden.

Boston Scientific Corporation
4100 Hamline Avenue North
St. Paul, MN 55110

Pasenusi versija

Jersion Perimee. We pas utilisely of rebliavatil.

1. Nemotic P Scientific Boston Sci-Guidant Europe NV/SA Boston Scientific Green Square, 1831 Diegem, Belgium

Worldwide: +1.651.582.4000 www.bostonscientia

Elavult verzió

Www.postonscientific.com

Aus Boston Scientific (Australia) Pty Ltd
PO Box 332
ΒΟΤΔΚΙΣ ΚΙΣΤΙ © 2015 Boston Scientific Corporation or its affiliates. All rights reserved. BOTANY NSW 1455 Australia
Free Phone 1 800 676 133
Free Fax 1 800 920 Free Fax

359446-001 EN Europe 2015-02

€0086

